

---

# Ellipsaria

NEWSLETTER OF THE FRESHWATER MOLLUSK CONSERVATION SOCIETY


Volume 12, No. 3

<http://www.molluskconservation.org>

December 2010

---

|                            |   |
|----------------------------|---|
| FMCS News.....             | 1 |
| Announcements & News ..... | 4 |
| Publications.....          | 5 |
| Contributed Articles ..... | 6 |



---

## FMCS News

---

### FMCS Officer Nominations

The FMCS is seeking nominees for the position of **President-Elect, Secretary, and Treasurer**. Any member may nominate any other member. Nominees must be current FMCS members in good standing who agree to be nominated. These positions will take place in April of 2011 during the FMCS symposium in Louisville, Kentucky.

**The deadline for nominations is December 31, 2010.**

The nominations committee will select the two candidates for each office who receive the most nominations and who are willing to run for that office. Ballots and position statements from the candidates will be mailed out to all members after nominations close. Send nominations to:

Leroy Koch  
U.S. Fish and Wildlife Service  
J.C. Watts Federal Building - Room 265  
330 West Broadway  
Frankfort, Kentucky 40601  
Office phone: 502-695-0468 ext. 106  
Email: [Leroy\\_Koch@fws.gov](mailto:Leroy_Koch@fws.gov)

---

### Call for 2011 FMCS Professional Award Nominations

Do you know someone who has made worthwhile contributions to mussel conservation or to the Society either through donating their professional time or expertise or through their scientific endeavors? Consider nominating them for one of the three FMCS Professional Awards. Nominations and supporting documentation are due on **December 31, 2010**. For more details, see the Awards Committee web site at [http://molluskconservation.org/Mservices\\_awards.html](http://molluskconservation.org/Mservices_awards.html)

Please send nominations and supporting information to either Dr. Teresa Newton, [tnewton@usgs.gov](mailto:tnewton@usgs.gov), 608-781-6217 or Dr. Greg Cope, [greg\\_cope@ncsu.edu](mailto:greg_cope@ncsu.edu), 919-515-5296.

---

### Student Travel Awards Available for 2011 FMCS Symposium

**CALLING ALL STUDENTS**— To facilitate your participation in the 7<sup>th</sup> Biennial Symposium of the Society to be held April 12-14, 2011 in Louisville, Kentucky, travel awards are being offered by the Society. Support is provided via Society paid lodging accommodations for the duration of the meeting at the host hotel (The Seelbach Hilton Louisville). It is anticipated that about 6 awards will be made for the 2011 Symposium.

A complete application package must be submitted by mail, fax, or e-mail to Dr. Teresa J. Newton, FMCS Awards Committee, U.S. Geological Survey, Upper Midwest Environmental Sciences Center, 2630 Fanta Reed Road, La Crosse, WI 54603, fax 608-783-6066, e-mail [tnewton@usgs.gov](mailto:tnewton@usgs.gov) on or before **January 30, 2011**.

See the Awards Committee web site at [http://molluskconservation.org/Mservices\\_awards.html](http://molluskconservation.org/Mservices_awards.html) or contact Teresa Newton (608-781-6217) for more information.

---

### 2011 Membership Dues

You can now pay your FMCS dues on-line at [www.molluskconservation.org](http://www.molluskconservation.org). If you are a member, click on *members*, then click on *my profile page*, and log in using your email and password (if you don't have or remember your password, click on *forgot password* and follow instructions on resetting your password; if your email is not found and you believe you are a current member, contact Heidi Dunn at [HDunn@ecologicalspecialists.com](mailto:HDunn@ecologicalspecialists.com) or Greg Zimmerman at [gzimmerman@envirosienceinc.com](mailto:gzimmerman@envirosienceinc.com). You can then renew your membership and edit your profile. Don't forget to sign up for committees! For new members, click on *join* and follow instructions.

Many members have expressed interest in paying dues for two years rather than one and making the payment as part of the symposium registration. Additionally, we need to increase dues to defer cost of our new journal *Walkerana* (stay tuned for details in the near future). Therefore, membership dues in 2011 will be \$80 for two years for regular members and \$40 for two years for student members. Membership will still be from January to January. You can pay on-line (see above) at any time or along with your symposium registration. Registration will be \$80 or \$40 more for non-members than for members, and the additional amount will be applied to a two-year membership. Many of you have already paid your 2011 dues (thanks for being so diligent). Those members will have an on-line option of paying \$40 (or \$20) in 2012.

---

## Amendments to By-laws

This past year the Board of Directors thoroughly reviewed the FMCS by-laws. The following amendments were proposed at the Board Meeting held in conjunction with the October 2010 workshop. To amend our by-laws, proposed amendment(s) must be provided to the membership at least 60 days prior to the annual meeting. Our next annual meeting will be held at the Louisville, Kentucky symposium April 12-14, 2011. The amendments will be discussed at the meeting.

The following amendments have been proposed and approved for membership vote by the board of directors. Two amendments pertain to Article VI Officers, 6.1 Number and Elections.

Paragraph D now reads :

D. The President shall serve a two-year term in this office; however this term will be preceded by a **ONE**-year term as President-Elect, and followed by a **ONE**-year term as Past-President to assist with Society functions as needed. An Active Member shall be elected to this sequence of offices at the beginning of the President-Elect year, and, automatically advance to President and Past-President without the necessity of a vote at either change of office.

The President-elect and Past-President have unofficially been serving for two years. The proposed amendment will make this official. The proposed amendment will read as follows:

D. The President shall serve a two-year term in this office; however this term will be preceded by a **TWO**-year term as President-Elect, and followed by a **TWO**-year term as Past-President to assist with Society functions as needed. An Active Member shall be elected to this sequence of offices at the beginning of the President-Elect year, and, automatically advance to President and Past-President without the necessity of a vote at either change of office.

Paragraph E now reads:

E. The Secretary and Treasurer shall be elected for two (2) year terms (except for the first year of the Society's establishment, when the Treasurer will serve for 3 years). The Secretary shall be elected in **odd** years and the Treasurer elected in **even** years. There is no limit to the number of consecutive terms the Secretary or Treasurer may hold.

In the initial by-laws, the president was elected each year and the treasurer and secretary were elected in even and odd years, respectively. Under the current by-laws, the president is elected along with the secretary in odd (symposium) years. Electing the Treasurer in even years requires an additional election, with the additional cost of time and postage. We therefore propose changing the election of the treasurer to correspond with the election of the president and secretary in odd (symposium) years.

As amended, this paragraph will read

E. The Secretary and Treasurer shall be elected for two (2) year terms (except for the first year of the Society's establishment, when the Treasurer will serve for 3 years). **The Secretary and Treasurer shall be elected in odd years.** There is no limit to the number of consecutive terms the Secretary or Treasurer may hold.

The third amendment concerns Article VIII, the procedure for amendments. This paragraph currently reads:

### AMENDMENTS

An amendment to the By-laws may be proposed in writing to the Board of Directors at least ninety (90) days prior to a scheduled Society annual meeting. If the proposed amendment is supported by at least one voting member of the Board of Directors, the proposed amendment will be distributed to all members sixty (60) days prior to the next annual meeting, and will be open for discussion at that meeting. The amendment and a summary discussion of the amendment will be provided to the membership for a vote during next officer elections. The amendment will be voted on by mail during the next officer elections. The amendment is consummated and ratified when approved by at least two-thirds of the majority of respondents, provided the number of respondents constitutes a quorum.

Since we will now hold elections every other year, rather than every year, amendment approval would require two or more years. Additionally, obtaining a quorum in the returned ballots is not always possible. Most members attend the symposium, which is held in odd years. Discussing and voting on amendments at the symposium general member meeting will allow more members to vote and expedite the amendment process. Amendments will still be provided to the membership for review in the issue of *Ellipsaria* at least 60 days prior to the symposium.

As amended, ARTICLE VIII would read:

### AMENDMENTS

An amendment to the By-laws may be proposed in writing to the Board of Directors at least ninety (90) days prior to a scheduled Society annual meeting. If the proposed amendment is supported by at least one voting member of the Board of Directors, the proposed amendment will be distributed to all members sixty (60) days prior to the next annual meeting, and will be open for discussion **and voted on** at that meeting. The amendment is consummated and ratified when approved by at least two-thirds of the **voting members**, provided the number of **voting members at the meeting** constitutes a quorum.

---

## FIRST CALL FOR ABSTRACTS

FMCS 2011 SYMPOSIUM  
April 11–15 , 2011  
Seelbach Hilton Louisville  
Louisville, KY



Join us for the 7<sup>th</sup> Biennial Symposium of the Freshwater Mollusk Conservation Society, to be held at Seelbach Hilton Louisville in Louisville, Kentucky from April 11 – 15, 2011. The theme for the 2011 symposium is:

### ***Managing Your Mollusks: Reflecting on the Past, Preparing for the Future***

A plenary session will open the meeting and provide updates freshwater mollusk conservation and habitat restoration. In 2011, the focus will be on state and regional management of mollusks. Platform and poster session categories covering all taxa of mollusks (gastropods and bivalves) are welcome, and will include:

#### Session Categories

- Advances in Propagation of Mollusks
- Regional/State Management of Mussels
- Life History & Population Ecology
- Physiology and Reproductive Biology
- Systems and Community Ecology
- Habitat Restoration
- Water Quality and Ecotoxicology
- Evolution and Systematics

---

#### INSTRUCTIONS FOR AUTHORS

**Submittal form:** Abstracts should be submitted as an email attachment in Microsoft Word® or Rich Text format to **Jacob Culp**, Kentucky Department of Fish and Wildlife Resources, 3761 Georgetown Road, Frankfort, KY 40601; [jacob.culp@ky.gov](mailto:jacob.culp@ky.gov), 502-573-0330 x 228.

**File name should include presenter's last name and initials (e.g., jonesjm.doc).**

**Subject line of email should include "FMCS 2011 abstract"**

Limit abstracts to 300 words or less (including title, authors and affiliations). Abstracts with greater than 300 words will be edited. Acknowledgement of abstract receipt, if requested, will be sent by email.

**Submittal format:** The abstract should contain the title in **BOLD, CAPITAL** letters, followed by the author(s), and address(es). Underscore the presenter's name. Skip one line and begin the text including a clear summary of presentation including objectives, results, and conclusions.

#### **At the bottom of the page, please type:**

1. The name, address, telephone, fax, and e-mail of the presenting author.
2. Preference for Platform or Poster presentation and willingness (yes or no) to convert from one format to another.
3. Preference for Session Category (from bullet list above).
4. Regular or Student\* attendee

\*Note: All students submitting abstracts, provided they meet eligibility requirements, will be judged for the best student platform or poster presentation, unless otherwise indicated.

#### **Oral Presentation Requirements**

Not to exceed 20 minutes (15 minutes for talk and 5 minutes for questions and answers).

#### **Poster requirements**

The poster should be readable from 5 feet, titles from 10 feet; and the poster should not exceed a size of 4 feet high by 8 feet wide. Authors must be present at the designated poster session.

### **ABSTRACTS MUST BE RECEIVED BY January 14, 2011**

**To Register:** Go to FMCS website and click on "Events" category at the top. There will be a registration tab under the upcoming FMCS events for the 2011 Symposium: <http://molluskconservation.org/Events.html> Registration for members will be \$280.00, non-members \$360.00 (includes 2-year membership). Registration for student members will be \$225.00, student non-members \$265.00 (includes 2-year membership).

**To Reserve Hotel Room:** Hotel rooms at the Seelbach Hilton will be \$115.00 plus tax (~\$133.00 total). To reserve a room go to: <http://www.hilton.com/en/hi/groups/personalized/S/SDFSHHF-FMC-20110411/index.jhtml>

#### **For More Information: 2011 Symposium Co-Chairs**

Monte McGregor      phone: 502-573-0330 ext.221, email: [monte.mcgregor@ky.gov](mailto:monte.mcgregor@ky.gov)  
Leroy Koch            phone: 502-695-0468 ext. 106, email: [leroy\\_koch@fws.gov](mailto:leroy_koch@fws.gov)

---

## 2010 Workshop Wrap-up

We had a very successful workshop. In all, 121 attendees spent 2 days listening to presentations on regional faunal identification and sampling. Attendees and experts spent a considerable amount of time both days looking at shell material from across the country and discussing characteristics and distributions. On the last day of the workshop, two full field trips spent time searching for mollusks and participating in sampling demonstrations in the Meramec River. A few brave souls even snorkeled in the cold water! The Pacific Palisades trip netted 28 species of mussels, including pink mucket and sheepnose.

We would again like to thank our Regional Experts for their time and efforts to make this a great workshop: Steve Ahlstedt, Jayne Brim Box, Art Bogan, Kevin Cummings, Gerry Dinkins, Heidi Dunn, Michael Gangloff, Jeff Garner, John Harris, Bob Howells, Paul Johnson, Alison Price, Jamie Smith, Dave Strayer, and Tom Watters.

We would also like to thank our sponsors: Ecological Specialists, Inc., EnviroScience, Inc., Mississippi Interstate Cooperative Resources Association, Missouri Chapter of the American Fisheries Society, Missouri Department of Conservation, Missouri State University, Third Rock Consultants, U.S. Fish and Wildlife Service, University of Oklahoma, Upper Mississippi River Conservation Committee, and Virginia Department of Game and Inland Fisheries.

*Submitted by Heidi Dunn and Steve McMurray*

---

## . . . And From the Next Editor

Regardless of who's minding the store, the move of *Ellipsaria* to an on-line format brings with it a variety of opportunities and some challenges. Not having to worry about printing and mailing costs will let us include other colors in our newsletter [besides black] and post issues more frequently -- quarterly, I think, at least for a while. On-line posting also should allow us to include more timely news and informal research results, and links to more details, announcements, and web sites.

On the challenges side, I'm sure there will be some bugs to deal with when assembling the submissions, generating the PDF files, getting the files posted on our web site, and letting you know when each new issue is out there. You, on the other hand, will have to spend even more time reading from a computer screen to keep up with what other freshwater malacologists are doing. And you will have to decide for yourself when to print a hard copy of some item or full issue.

Throughout her 10-year stint as editor of *Ellipsaria*, I think Chris Mayer has done an excellent job of editing and distributing the news about our society. I hope to achieve that level of performance and dedication during my tenure in the job. Especially during the next few months, please let me know how you think *Ellipsaria* could become an even better newsletter for the members of our society. And start thinking about what you will contribute (by the February 15 due date) for the first on-line issue.

John Jenkinson, [jjjenkinson@hotmail.com](mailto:jjjenkinson@hotmail.com)

---

## Announcements & News

---

### Biennial Eastern Gulf Slope Mollusk and Crayfish Meeting. Eufaula, Alabama January 19-20, 2011

The Biennial Eastern Gulf Slope Mollusk and Crayfish Meeting serves as a review and update of current mollusk and crayfish conservation and research activities in eastern Gulf of Mexico drainages from the Florida peninsula to the Florida Parishes of Louisiana. The meeting is scheduled to begin at 8:30 a.m. on Wednesday, January 19<sup>th</sup> and will continue through the afternoon of January 20<sup>th</sup>. As with previous meetings come prepared with your organized presentation, but please try to keep them brief ~20 minutes. This is a joint meeting with the Alabama Mollusk and Crayfish working group hosted annually by the Alabama Department of Conservation and Natural Resources, Division of Wildlife and Freshwater Fisheries.

The meeting will be held in the Magnolia Room, at Lakepoint Resort State Park outside Eufaula, Alabama. Lakepoint Park has reduced room rates for the event, including both hotel (\$59.49 / Queen Double; \$78.10 / King; \$83.30 / King Suite) and lakeside cottages (\$106.00 / 1-bedroom; \$140.25 / 2-bedroom; \$178.50 / 3-bedroom) for each night. To receive the special rate you must use the group number (#1428) when making reservations (1-800-544-5253). Additional information about Lakepoint Resort State Park is at: <http://www.alapark.com/LakePointResort/>

Unlike previous years, there will be a charge of \$10.00 for professionals and \$5.00 for students (**cash only**) to cover the costs of refreshments during morning and afternoon breaks for the 2-day meeting. Lunch will be served at the Lodge Restaurant for the cost of \$7.95 per day. Otherwise, participants would need to make a 15-minute trip into Eufaula for lunch.

#### **Tentative Agenda:**

*Wednesday – January 19<sup>th</sup> - AM (8:30 a.m. – 12 noon) -  
Tennessee River Basin Reports*

*Wednesday – January 19<sup>th</sup> - PM (1:30 p.m. - 5 p.m.) -  
MS & LA Gulf Coastal drainage Reports  
Mobile River Basin Reports*

*ID problems with shells and crayfishes will occur  
during/after the Wednesday afternoon session*

*Thursday – January 20<sup>th</sup> – AM (8:30 a.m. – 12 noon) -  
Mobile River Basin*

*AL, GA, FL Gulf Coast drainage reports*

*Thursday – January 20<sup>th</sup> - PM (1:30 p.m. – 5:00 p.m.) -  
AL, GA, FL Gulf Coast drainage reports*

Please be sure to notify the meeting organizers: Sandra Pursifull – USFWS ([Sandra\\_Pursifull@fws.gov](mailto:Sandra_Pursifull@fws.gov)) or Jeff Garner – ADNCR ([bleufer@aol.com](mailto:bleufer@aol.com)), if you plan to attend. We need to provide the Lakepoint Resort officials with an accurate count for refreshments and meals.

---

## MS Positions at Central Michigan University: Conservation of Freshwater Mussels in the Great Lakes

<https://www.benthos.org/Classified-Ads/Graduate-student-and-postdoc-positions/Two-MS-positions-at-Central-Michigan-Univ--Conserv.aspx>

**Responsibilities:** Up to two successful applicants will conduct a two-year research project on unionid mussels in coastal zones of the Great Lakes. This project is funded by the Great Lakes Restoration Initiative (U.S. Fish and Wildlife Service - Great Lakes Fish and Wildlife Restoration Act). These research assistants will combine field and laboratory (genetic) techniques to assist in managing native unionid communities affected by dreissenid mussels in the lower Great Lakes. The remnant unionid communities found along the coastal margins of Lake St. Clair and Lake Erie are all that remain of the abundant and diverse communities prior to the dreissenid mussel invasion of the 1980's. The successful applicant will work with Dr. Dave Zanatta and collaborators at other academic institutions and state agencies to answer questions about the conservation of these mussel communities, ultimately leading to a comprehensive thesis. Stipend support in the form of Research Assistantships will be available in the summers and Teaching and/or Research Assistantships will be available through the school year. Graduate students in Biology receive full tuition waivers.

**Qualifications:** The successful applicant should be highly motivated and have a B.S. (or completion by May 2010) in biology, zoology, genetics or closely related field. Prior experience in a molecular lab conducting PCR and genotyping, field experience (e.g. boats, snorkeling, SCUBA), interests in conservation biology, and working with aquatic invertebrates and/or unionid mussels, are assets.

Minimum academic qualifications include 3.0 GPA (on a 4.0 system) and GRE scores must be sent to CMU graduate school for approval. Application materials for the graduate program in Biology: [http://bio.cmich.edu/grad\\_app\\_admiss.htm](http://bio.cmich.edu/grad_app_admiss.htm) (deadline for a Teaching Assistantship is Feb 15 2011).

**Salary:** approx \$15,000 + tuition waiver

**Closing Date:** Feb 15, 2011 (to CMU Graduate School). The candidate will be expected to begin by June 1, 2011.

In addition to applying to the CMU Graduate Program in Biology, send Dr. Zanatta (email preferred):

1. a cover letter explaining your interest and qualifications
2. a resume (CV)
3. copies of transcripts (unofficial ok)
4. names and contact information for 3 academic references

Feel free to contact Dr. Zanatta with any questions.

Dave Zanatta, Ph.D., Assistant Professor  
Central Michigan University, Biology Department  
156 Brooks Hall  
Mount Pleasant, MI 48859

zanat1d@cmich.edu  
989-774-7829

<http://www.cst.cmich.edu/users/zanat1d/>

---

## Publications

---

Two recent publications regarding mussel responses to contaminants:

**Wang N., Ingersoll C.G., Ivey C.D., Hardesty D.K., May T.W., Augspurger T., Roberts A.D., van Genderen E., Barnhart M.C.. 2010.** Sensitivity of early life stages of freshwater mussels (Unionidea) to acute and chronic toxicity of lead, cadmium and zinc in water. *Environmental Toxicology and Chemistry* 29(9): 2053-2063.

Newly transformed juvenile mussels (5-d-old) were the most sensitive life stage of freshwater mussels tested in evaluating the acute toxicity of Pb, Cd, or Zn, in contrast to glochidia (larvae) and older juveniles (two- to six-months-old). In comparison with other tested freshwater organisms, juvenile mussels were relatively sensitive to the acute toxicity of Pb (mussels in the 26th percentile of freshwater species sensitivity distribution), Cd (the 15th to 29th percentile), or Zn (the 12th to 21st percentile). The mussel (*Lampsilis*) genus mean chronic value was the lowest value ever reported for Pb (the 9th percentile) but was near the middle of the sensitivity distribution for Cd (the 61st percentile) or Zn (the 44th percentile). Test results and relevant literature were used to compare mussel sensitivity to the current U.S. EPA water quality criteria for these metals. Criteria are protective of freshwater mussels from Pb or Cd exposure, but might not adequately protect mussels from Zn exposure. A draft biotic ligand model-derived water quality criteria for Zn would be more protective of mussels compared to the current hardness-dependent criteria for Zn.

**Miao J., Barnhart M.C., Brunson E.L., Hardesty D.K., Ingersoll C.G., Wang N. 2010.** An evaluation of the influence of substrate on the response of juvenile freshwater mussels (Fatmucket, *Lampsilis siliquoidea*) in acute water exposure to ammonia. *Environmental Toxicology and Chemistry*, 29 (9):2112-2116.

A study was conducted to determine whether the acute toxicity of ammonia to juvenile mussels varied in test chambers with or without the presence of a substrate. Acute 96-h ammonia toxicity to three-month-old juvenile mussels (*Lampsilis siliquoidea*) was evaluated in four treatments (water-only, water-only with feeding, water and soil, and water and sand) using an exposure unit designed to maintain consistent pH and ammonia concentrations in overlying water and in pore water surrounding the substrates. Median effect concentrations (EC50s) for total ammonia nitrogen in the four treatments ranged from 5.6 to 7.7 mg/L with overlapping 95% confidence intervals at a mean pH of 8.4. The results indicate no influence of substrate on the sensitivity of juvenile mussels in acute exposures to ammonia.

Submitted by Ning Wang, [nwang@usgs.gov](mailto:nwang@usgs.gov)

---

## Contributed Articles

---

The following articles were contributed by FMCS members and others in the malacological community. The contributions are incorporated into the newsletter with minimal editing and the opinions expressed therein are those of the authors.

---

### Sphaeriids at the Milwaukee Public Museum

Joan P. Jass  
Invertebrate Zoology, Milwaukee Public Museum  
800 W. Wells St., Milwaukee, WI 53233  
jass@mpm.edu, 414-278-2761

The Milwaukee Public Museum (MPM) collection of Sphaeriidae presently numbers 3256 specimens in 280 lots, about 25% of these including soft tissues preserved in 70% ethanol. Collecting data from each lot has been computerized in an Access dataset, allowing retrieval and basic analysis of the collection contents. European, South American and West Indian localities are represented by a small number of lots, but by far the majority are from North America, with a regional concentration on the states of the upper Midwest. Wisconsin has the best geographical coverage, with over half of the 72 counties in the state being represented. These MPM specimens also represent a broad range of history, having collection dates covering a span of more than 140 years. Several lots with dates of collection come from the 1870s and '80s, although the greatest number are from recent decades. Historically significant are those from the Increase Lapham collection; it was he who reported the first listings of mollusk species for Wisconsin (Lapham 1852, 1860).

Lots with species-level determinations comprise 76% of the collection. In the early 1900s, museum freshwater mollusks were loaned to H.A. Pilsbry of The Academy of Natural Sciences of Philadelphia; they included 43 sphaeriid lots returned with his determinations. When P. Emmling was researching his University of Wisconsin thesis on Milwaukee Harbor species (Emmling 1976), he provided updated determinations for 40 MPM lots. Of the species listed by NatureServe <http://www.natureserve.org/> from Canada and the United States, 21 are represented here.

Although unionids generally receive greater attention, sphaeriids are the dominant bivalve fauna in North American freshwaters. They are present, and often quite abundant, in a very wide range of habitats – from rivers and streams to large lakes and ephemeral ponds. For example, the MPM collection includes vouchers collected from wetland within Tom's Prairie (a State Natural Area) in Wisconsin's southwestern Driftless Area, as well as those from a Lake Michigan study of sphaeriid distribution in the Milwaukee Harbor. *Pisidium cruciatum*, the only sphaeriid included on the Wisconsin Endangered Resources Program's listing of rare bivalves, is represented at MPM by shells collected in the early 1900s from Lake Winnebago, Calumet County. Inquiries are welcomed from researchers interested in Sphaeriidae at MPM.

Emmling, P. 1976. Factors affecting the distribution of Sphaeriidae (Mollusca: Pelecypoda) in the Milwaukee Harbor, Lake Michigan. Thesis (M.S. in Zoology), University of Wisconsin – Milwaukee. 147 pp.

Lapham, I.A. 1852. Flora and fauna of Wisconsin. Transactions of the Wisconsin State Agricultural Society, II: 367-370 [Mollusca].

Lapham, J[I].A. 1860. A list of the shells of the state of Wisconsin. Proceedings of the Academy of Natural Sciences of Philadelphia, 12: 154-156.

---

### A New Species Location Record in Sussex County, Delaware

F. Matthew Blaine  
908 West Street, Laurel, Delaware 19956-1932

#### Abstract

There have been few surveys of Niades (Bivalvia: Unionidae) in Sussex County, Delaware. The last major survey which included Sussex County was by Clement L. Counts, III, Thomas S. Handwerker, and Roman V. Jesien. It is published and in American Malacological Bulletin, Vol. 9(1) (1991) 27-37. In that report several stations in Sussex County Delaware are sited. I have been monitoring several of these stations recently and have found one new species sighting. I found *Anodonta cataracta* Say, 1817 in addition to *Elliptio fisheriana* (Lea, 1838) at station #39 as listed in their paper.

#### Description Of The Study Area

Williams Pond is located on the Nanticoke River System. In 1954 a branch of the river was dammed off which created the pond. The dam is located in Seaford, Delaware and Williams Pond extends northeast from that point out of the city limits for about a mile and a half. Williams pond is crossed by two bridges. The first is for dual highway, Route 13 (Sussex Highway) and is in the middle of the pond. The second is The Tharp Road Bridge at the northeastern end of the pond. The area from the Route 13 bridge to The Tharp Road Bridge on the pond is surrounded by private waterfront homes. On August 6th, 2010 Del Dot drew down the water in Williams Pond by approximately 1.5 meters to facilitate repair of the dam structure. This draw down of water exposed previously flooded shoreline around the lake.



Williams Pond Dam, Seaford, Delaware, Sussex County.  
By F. Matthew Blaine.

## Methods

A review of the available literature was conducted. Periodic trips to various stations listed for Sussex County, Delaware by Counts, Handwerker, and Jesien were revisited periodically over the past few years. Shells were brought to me that were collected on private property. The property is located about 300 meters west of the Tharp Road Bridge. Shells were collected there on September 25, 2010 and again on September 28<sup>th</sup>. I visited the property on August 6, 2010, took notes, and collected material. All shells collected were dead. The bottom is sand with some mud mixed in it. All shells were taken from exposed bank. It is assumed that the shells were left on the shore by animals because all shells were removed from the bank on each collecting trip and new dead shells were found on the same bank on subsequent visits. Shells that were collected were identified by me and were shown to Dr. Arthur E. Bogan, who agreed with my identification.

## Results

Two species of Niades were found at Williams Pond, Seaford, Delaware. One was the previously reported *Elliptio fisheriana* (Lea, 1838). The second and previously unreported at this location was *Anodonta cataracta* Say 1817.

The total number of articulated *A. Cataracta* collected was 15 and an additional 23 single valves.

The total number of articulated *E. Fisheriana* collected was 16 and an additional 3 single valves.

A number of *Corbicula* were also found.



*Anodonta cataracta* found on exposed shoreline. Williams Pond, Seaford, Delaware. By F. Matthew Blaine.

## Acknowledgements

The author wishes to thank Kenneth Bryson for his help during sampling and his help in collecting specimens. I would like to also thank Mrs. Sharlana Edgell for allowing us to go on her property, to collect shells on her property, and for providing local historic background about the area. Lastly, I would like to thank Dr. Arthur E. Bogan for his encouragement over the years and for his support.

## Literature Cited

Counts, et al. 1991. *The Naiades (Bivalvia: Unionidea) of the Delmarva Peninsula*. American Malacological Bulletin, Vol. 9(1) (1991):27-37.

Williams, J.D., Bogan, A.E., and Garner, J.T. 2008. Freshwater Mussels of Alabama & The Mobile Basin in Georgia, Mississippi & Tennessee. P.633



*Elliptio fisheriana*, *Anodonta cataracta* and *Corbicula* on exposed shoreline, Williams Pond. Seaford, Delaware.

## Summary of OVUM IV Talks, 6 November 2010

Submitted by Tim Pearce & Tom Watters

The very successful fourth annual meeting of the Ohio Valley Unified Malacologists (OVUM IV) was held jointly with the first annual meeting of the Great Lakes Unified Malacologists (GLUM) on Saturday 6 Nov 2010 at The Ohio State University, hosted by Tom Watters, with an optional field trip on Sunday 7 Nov 2010. On Saturday there were 34 participants and 14 presentations, with time to use the research collection during lunch hours and after the talks had concluded.

Kody F. Kuehnl, Franklin University, "A state of some unionids address: phylogenetic relationships in an imperiled group of freshwater mussels (genus *Villosa*)."

*Villosa* as currently recognized is polyphyletic according to mitochondrial DNA (CO1, ND1). *V. villosa* and *V. amygdala* might be the only true *Villosa*. *Villosa iris* is monophyletic, with 8 well supported sub-clades, most of which occur geographically in a narrow band S of glacial extent and N of ocean rise extent.

Mac Albin, Columbus Metro Parks, "Observations and comments on freshwater mussels and conservation in Big Darby Creek."

The Creek is only 82 miles long but has 44 species of mussels. 85% agriculture in the drainage causes conservation concerns. Conservation efforts continue.

Rosemary A. Mormon, University of St. Francis, "Distribution and habitat characterization of unionids in Crooked Lake, Whitley County, Indiana: a preliminary report."

This glacial lake is deep; unionids were found on shallow shelves, one found as deep as 15 feet.

Michael Hoggarth, Otterbein University, "The mussels of the Little Miami River system fifteen years later."

Headwaters showed decrease in species over time. Farther downstream showed some increases, particularly in mussel species that can use *Drum* as a host.

Timothy A. Pearce & Stephanie L. Payne, Carnegie Museum of Natural History, "The scoop on goose poop: do land snail shells traverse the gut of modern dinosaurs?"

Found snails in goose poop. Geese are modern dinosaurs. So it is possible that snails could traverse the gut of ancient dinosaurs (contrary to a paper from last year).

Daelyn A. Woonough, Daniel Auer, Daryl Kuipers & Dave Zanata, Central Michigan University, "Pelecypod and gastropod communities at Pierce Cedar Creek Institute: variation in understudied organisms."

Ordination on data from non-unionid molluscan taxa differentiates among habitats (river, lake, wetland) better than other aquatic macro invertebrates. Taxa were identified to genus for Sphaeriidae, species for Gastropoda, mostly to family for other invertebrates.

Andy Harris & Dave Zanatta, Central Michigan University, "Phylogeography of the ellipse mussel *Venustaconcha ellipsiformis*."

Using COI data, found 8 haplotypes of *V. ellipsiformis*. It seems to be a single species. There were more haplotypes S of the glacial line, and 1-2 haplotypes N of that line.

Dave Zanatta, Central Michigan University, "What a difference a mussel (or two) makes: a quarter century of change in the unionid communities of Lake St. Clair"

Lake St. Clair is ground zero for the zebra mussel invasion of North America in 1986. Due to *D. polymorpha*, unionid abundance is 2 orders of magnitude less. Used 65 sq m plots. Yes, Unionidae declined, but there is some stabilization and species diversity persists. Yes, zebra mussels have declined.

Josh Wyatt, Thomas More College, "Identifying large river fish hosts for native mussel larvae."

Drum are very good hosts for larvae.

Stephen Matter, Francisco Borrero & Cody Fleece, Cincinnati Museum Center, "Growth and survival of fat mucket populations in Ohio Brush Creek."

*Lampsilis radiata luteola* might not have pulses in reproduction.

Sean Collins, University of Cincinnati, "Aquatic snails at the Monkey River Drainage – Belize"

Algae don't seem to predict freshwater snail abundance, but snails negatively correlate with human impact.

Francisco J. Borrero, Cincinnati Museum Center, "Systematic and biogeographic relationships of the land snail fauna of northern South America. Notes on some Pleurodontidae of the Sierra Nevada de Santa Marta, Colombia, with a new species of *Isomeria*."

Camaenidae and Orthalicidae seem to be Gondwanan in distribution. In land snail studies of Colombia, we seem to be early in the species saturation curve.

Kip Brady, New Philadelphia (OH) High School, "Community interactions and ecosystem processes: do crayfish predators alter leaf processing by the snail *Helisoma trivolvis*?"

Crayfish predator cues didn't alter leaf processing by the snails.

Tom Watters, Ohio State University, "Columbis Zoo and Aquarium Freshwater Mussel Conservation and Research Center."

Recent projects include augmenting wild populations of northern riffle shells and fanshells, host identifications, and propagation for mitigation.

---

## The Development of an Aquatic Mollusc Fauna at the Site of the Ice-rink in Midsland-Noord, Terschelling, the Netherlands

Henk K. Mienis

<sup>1</sup>National Collections of Natural History, Dept. Zoology, Tel Aviv University, IL-69978 Tel Aviv, Israel, and National Natural History Collections, Berman Building, Hebrew University, IL-91904 Jerusalem, Israel  
mienis@netzer.org.il

<sup>2</sup>Kibbutz Netzer Sereni, IL-70395 Israel. dana@milk.org.il

On Terschelling, one of the Wadden-islands in the north of the Netherlands, an ice-rink had been excavated some time ago in Midsland-Noord at the edge of the dunes adjacent to the so-called Goat-meadow. This ice-rink has an oval form and is more or less a very wide ditch surrounded by higher banks and a central higher area. It carries water almost the year round, except during long dry hot summers, a rare event in the Netherlands, then large parts of it are drying up. Since the water is shallow it is covered relatively quickly by a layer of ice during cold winters, which allows the local youth to show their skating abilities, usually during a relatively short period.

Because of the constant change in water level the aquatic flora is poorly developed. Here and there Common reed (*Phragmites*), Bulrush or Cattail (*Typha*) and Bur-reed (*Sparganium*) are growing near the banks, and since shortly someone has planted a White water-lily (*Nymphaea alba*) in the eastern part of the ice-rink where also Pondweed (*Potamogeton*) has established itself.

In autumn 2005, the senior author sampled for the first time the ice-rink for the presence of aquatic molluscs. The water level was extremely low and not a single gastropod or bivalve could be traced. Also, an entomologist looking for aquatic insects at the same time did not see a single mollusc in his dip-net. This situation remained unaltered in the autumns of 2006 and 2007. On 25 September 2008, the senior author noticed that a White water-lily had been planted in the water off the eastern bank of the ice-rink. On the floating leaves of that Water-lily numerous specimens of an invasive freshwater limpet *Ferrissia clessiniana* (Jickeli, 1882)\* were found. No other species were noted. In autumn 2009 the ice-rink remained unchecked.

In the autumn of 2010 the water of the ice-rink was surveyed twice. Sampling took place on 19 September 2010 by both authors and on 27 September 2010 once again by the senior author. To our surprise the presence of the following seven species of aquatic molluscs could be registered:



*Haitia acuta* (Draparnaud, 1805) [(syn. *heterostropha* (Say, 1817)]  
*Physella* cf. *gyrina* (Say, 1821)  
*Gyraulus* (*Gyraulus*) *albus* (Müller, 1774)  
*Ferrissia clessiniana* (Jickeli, 1882)\*  
*Radix balthica* (Linnaeus, 1758)  
*Pisidium milium* Held, 1836  
*Pisidium subtruncatum* Malm, 1855

The freshwater limpet *Ferrissia clessiniana* was again only collected from the leaves of the White water-lily. All other species were found among a dense stand of Bur-reed and Pondweed in the south-east corner of the ice-rink.

Interesting are the finds of two species of Bladder snails: *Haitia acuta* and what we call at the moment *Physella* cf. *gyrina*. On Terschelling two species of Bladder snails were already known to occur: the autochthonous *Physa fontinalis* (Linnaeus, 1758) with its blunt apex, and the allochthonous *Haitia acuta* with a sharp apex. *Physa fontinalis* was certainly not encountered in the water of the ice-rink. However, of the two forms of Bladder snails which we managed to catch on 19 September, one form was characterized by having a slender shell with a sharp apex fitting the description of *Haitia acuta*, the other form was characterized by a rather broad shell with a lower and less sharp apex. These shells fit in details those figured by Taylor (2003: plate 11, figs. 1-3) as belonging to *Physella gyrina*. Although all our specimens were relatively small (adults may reach a height of 25 mm!), they showed traces of the crescentic microsculpture, which is characteristic for that species. Since the specimens were not studied anatomically we prefer to call them for the meantime *Physella* cf. *gyrina*.

There is proof that the American exotic species *Haitia acuta* reached Terschelling fairly recently by means of the sale of pond plants infected by these snails in a local garden centre (HKM, personal observations, 2008-2010). We do not rule out the possibility that the other Bladder snail discovered in the waters of the ice-rink on Terschelling reached that island in a similar way. It is noteworthy that *Physella gyrina* has never been recorded before from open waters in the Netherlands, but it is at least known from Ireland and Great Britain (Anderson, 1996) and Germany (Glöer, 2002).

The sudden appearance and increase in mollusc species occurring in the waters of the ice-rink is without doubt due to human activities. Planting of a White water-lily infected with *Ferrissia clessiniana*\* has occurred at several places on Terschelling. Also dumping of excessive pond plants and aquarium snails has taken place regularly (Mienis, 2005, 2007, 2009 & 2010). However, on the other hand the presence of an increasing number of aquatic plants may attract more and more aquatic birds. The latter may transport inadvertently additional mollusc species to the waters of the ice-rink. In each case we will continue our survey of thus interesting aquatic habitat in the coming years.

\*We leave in the middle whether *Ferrissia clessiniana* has to be considered a junior synonym of the American species *Ferrissia fragilis* (Tryon, 1863).

## References

- Anderson, R., 1996. *Physa gyrina* (Say), a North American freshwater gastropod new to Ireland, with a key to the British Isles Physidae. Irish Naturalist Journal, 25 (7): 248-253.
- Glöer, P., 2002. Mollusken I. Die Süsswassergastropoden Nord- und Mitteleuropas, Bestimmungsschlüssel, Lebensweise, Verbreitung. Die Tierwelt Deutschlands, 73: 327 pp. Conch Books, Hockenheim.
- Mienis, H.K., 2005. Wie is er bezig om van Doodemanskisten een tropisch aquarium te maken? Rinkelbollen, 2005 (2):1-3.
- Mienis, H.K., 2007. Ook in 2005 vond dumping plaats van vijverplanten in de Doodemanskisten. Rinkelbollen, 2007 (1): 8-10.
- Mienis, H.K., 2009. De Moerashyacint van Doodemanskisten – een invasive waterplant uit Noord-Amerika. Rinkelbollen, 2009 (1): 7-8.
- Mienis, H.K., 2010. Het dumpen van afval uit de vijver gaat onverminderd door in Doodemanskisten. Rinkelbollen, 2010 (3): 10-12.
- Taylor, D.W., 2003. Introduction to Physidae (Gastropoda: Hygrophila); biography, classification, morphology. Revista de Biología Tropical, 51 (Supplement 1): 1-287.

---

## *Planorbella duryi* in a Canal in Purmerend, the Netherlands

Henk K. Mienis  
National Collections of Natural History, Dept. Zoology,  
Tel Aviv University, IL-69978 Tel Aviv, Israel, and  
National Natural History Collections, Berman Building,  
Hebrew University, IL-91904 Jerusalem, Israel  
mienis@netzer.org.il

During my annual visit to my native the Netherlands, I noticed that some of the canals in Purmerend, a town some 12 km north of Amsterdam in the province of North-Holland, had been cleaned with the aid of a water mower machine. The mowed aquatic plants, mainly the leaves of Yellow Pond lilies (*Nuphar luteum*) and Cattails (*Typha* species), had been dumped here and there on the banks of canals.

On 8 October 2010 I made a brief check for the presence of aquatic snails among the Yellow Pond lily leaves present in such heap on the bank of the canal between the Meeuwstraat and the Leeuwerikplein. The first snail I encountered was an empty shell of the Seminole rams-horn *Planorbella duryi* (Wetherby, 1879), which has to be considered an exotic species in the Netherlands and elsewhere in Europe, because it is a native species from the south-eastern part of the U.S.A.

A further search produced numerous shells still containing the desiccated bodies of more common species like Mud bithynia or Faucet snail *Bithynia tentaculata* (Linnaeus, 1758), Leach's bithynia *Bithynia leachii* (Sheppard, 1823), Great rams-horn *Planorbarius corneus* (Linnaeus, 1758), Common rams-horn *Planorbis planorbis* (Linnaeus, 1758), Whirlpool rams-horn *Anisus vortex* (Linnaeus, 1758), Great pond snail *Lymnaea stagnalis* (Linnaeus, 1758), Bladder snail *Physa fontinalis* (Linnaeus, 1758), Pointed bladder snail *Haitia acuta* (Draparnaud, 1805) and Lake limpet *Acroloxus lacustris* (Linnaeus, 1758).

Exactly one week later on 15 October 2010 I managed to collect two living specimens of *Planorbella duryi* at almost the same spot, but this time from among the aquatic plants still present in the canal.

The find of the North-American Seminole rams-horn seems to constitute the first record of its occurrence in open water in the Netherlands. However it is possible that snails reported as *Helisoma nigricans* (Spix, 1827) and collected in Krimpen aan den IJssel in 1959 and the Hague in 1983 (Gittenberger et al., 1998) belonged in reality to the genus *Planorbella* and more particularly to *Planorbella duryi*. True *nigricans* is not a species from southern North-America (among others Florida) as stated by Gittenberger et al. (1998), but a South American species belonging to the genus *Biomphalaria* according to the studies of Paraense (2006).

*Planorbella duryi* is a common aquarium snail in the Netherlands and occurs also in botanical gardens (Ripken & Gittenberger, 1963). In aquaria it often becomes a nuisance because of its rapid reproduction. Therefore aquarium-keepers are cleaning from time-to-time their basins and the collected specimens are usually released in a nearby ditch, canal, pond or lake. This has led to free-land records of *Planorbella duryi* from a number of countries in Europe among others from France – Corsica (Falkner et al., 2002), Spain – Balears (Pons et al., 2001; Beckmann, 2007), Malta (Giusti et al., 1995), Italy (Giusti et al., 1995; Cianfanelli et al., 2007) and others.

The future must show whether the population of *Planorbella duryi* in the canal in Purmerend is a permanent or a temporary one. Noteworthy is the fact that the snails were found after a relatively long and harsh winter (2009/10) with an ice-cover of the canals for more than a month.

## References

- Beckmann, K.-H., 2007. Die Land- und Süßwassermollusken der Balearenischen Inseln. 255 pp. ConchBooks, Hackenheim.
- Falkner, G., Ripken, Th.E.J. & Falkner, M., 2002. Mollusques continentaux de France. Liste de Référence annotée et Bibliographie. Patrimoines naturels, 52: 350 pp. Muséum National d'Histoire Naturelle, Paris.
- Gittenberger, E. & Janssen, A.W. (Eds.), 1998. De Nederlandse Zoetwatermollusken. Recente en fossiele weekdieren uit zoet en brak water. Nederlandse Fauna, 2: 288 pp. Nationaal Natuurhistorisch Museum Naturalis, Leiden, KNNV Uitgeverij, Utrecht, European Invertebrate Survey – Nederland, Leiden.
- Giusti, F., Manganello, G. & Schembri, P.J., 1995. The non-marine molluscs of the Maltese Islands. Museo Regionale di Scienze Naturali, Monografie, 15: 607 pp. Torino.
- Paraense, W.L., 2006. The Afro-American Biomphalariae. Memórias do Instituto Oswaldo Cruz, 101 (Supplement 1): 21-27.
- Pons, G.X., Celià, L., Garcia, L. & McMinn, M., 2001. Presència de *Planorbella duryi* (Weatherby, 1879) (Mollusca; Gastropoda; Planorbidae) a les Illes Balears. Boletín de la Sociedad de Historia Natural de Baleares, 46: 135-140.
- Ripken, Th.E.J. & Gittenberger, E., 1963. De scalaride *Helisoma*-soort uit de Hortus Botanicus te Leiden.

Correspondentieblad van de Nederlandse Malacologische Vereniging, 103: 1072.

---

## Additional Information Concerning the Conquest of Europe by the Invasive Chinese Pond Mussel *Sinanodonta woodiana*. 23. General Information and News from France and Serbia.

Henk K. Mienis

National Collections of Natural History, Dept. Zoology, Tel Aviv University, IL-69978 Tel Aviv, Israel, and National Natural History Collections, Berman Building, Hebrew University, IL-91904 Jerusalem, Israel  
mienis@netzer.org.il

### General Remarks

Since I started with my regular review of the literature dealing with the conquest of Europe by the Chinese Pond Mussel *Sinanodonta woodiana* (Lea, 1834) first in the "Triannual Unionid Report" and subsequently in "Ellipsaria", I was asked from time-to-time why I am publishing these notes in a newsletter being published in the U.S.A.? My answer was always that in spite of all the current laws in the U.S.A. it will be a matter of time and this species will also reach North America. In that case information concerning its spread in Europe might be of some use in order to prevent a similar situation in the U.S.A.

Of course I did not know at that time that I had to wait for the first record from the U.S.A. until this year. Unfortunately it has happened. This highly invasive and competitive species has been found in the ponds of a former fish farm in the Franklin Township, Hunterdon County, New Jersey (Benson, 2010, and numerous popular websites). Numerous shells were encountered on a 51-acre property off Joe Ent Road at a former aquaculture business known as Huey Farm where they were growing mainly species of carp for Asian markets. Some shells were also found in a nearby stream the Wickecheoke Creek (Murray, 2010). I hope indeed that all the specimens have now been collected by rangers of the New Jersey Conservation Foundation. If not then I am afraid that we may expect another series under the heading: "Additional Information Concerning the Conquest of North America by the Invasive Chinese Pond Mussel *Sinanodonta woodiana*."

### New Information from Europe

Recently I have come across some new information published in France and about its presence in Serbia.

### France

Adam (2010) has recently given an overview of the presence of this species in the basin of the Rhône, southern France. However, the author gives much more information. In fact he reviewed most of the knowledge concerning any aspects of this invasive mussel species in Europe. In the wake of the recent discovery of *Sinanodonta woodiana* in the U.S.A., any one working on this mussel species should consult this paper.

## Serbia

Tomović et al. (2010) has recently reviewed the presence of alien molluscs in Serbian waters. According to their most up-to-date survey, the Chinese Pond Mussel is present in moderate numbers at many localities in the following rivers: Danube, Sava and Tisa. The introduction of Grass carp *Ctenopharyngodon idella*, Prussian carp *Carassius auratus gibelio*, Silver carp *Hypophthalmichthys molitrix* and Bighead carp *Arstichthys nobilis* from China and other Far East countries seems to have played a crucial part of the distribution of the Chinese Pond Mussel in Serbia.

## References

- Adam, B., 2010. L'Anodonte chinoise *Sinanodonta woodiana* (Lea, 1834) (Mollusca, Bivalvia, Unionidae): une espèce introduite qui colonise le bassin Rhône-Méditerranée. *MalaCo*, 6: 278-287.
- Benson, A.J., 2010. *Sinanodonta woodiana*. United States Geological Survey Nonindigenous Aquatic Species Database, Gainesville, FL.  
<http://nas.er.usgs.gov/queries/FactSheet.aspx?SpeciesIN=2824>
- Murray, B.T., 2010. Hunterdon County finds first North American instance of invasive Chinese Pond Mussel. The Star Ledger, September 26, 2010.
- Tomović, J., Csanyi, B., Zorić, K., Atanacković, A., Tubić, B., Cakić, P. & Paunović, M., 2010. Alien mollusca in Serbian waters. BALWOIS 2010 – Ohrid, Republic of Macedonia, 25-29 May 2010: 6 pp.

---

## Mollusk fauna in the “extremes” of the Southern Brazil region – a revision rehearsal: new bibliographical records

A. Ignacio Agudo-Padrón  
Project "Avulsos Malacológicos – AM"  
Caixa Postal (P. O. Box) 010, 88010-970 Centro,  
Florianópolis, Santa Catarina - SC, Brasil  
[ignacioagudo@gmail.com](mailto:ignacioagudo@gmail.com) / <http://www.malacologia.com.br>

Continuing the results which were submitted in previous editions of this newsletter (Agudo-Padrón 2009 a-d, 2010), here are new contributions which escaped our initial attention or have recently been produced for the Santa Catarina's extreme neighbors State political territories of Paraná - PR (to the North) and Rio Grande do Sul - RS (to the South), Southern Brazil region integral of the "Atlantic Slope of the Southern Cone in South America":

### I. GENERAL FORMS

- + Agudo-Padrón, A.I. & Lenhard, P. 2010. Introduced and invasive molluscs in Brazil: an brief overview. *IUCN/SSC Internet Newsletter Tentacle*, (18):37-41.  
[http://www.hawaii.edu/Cowielab/tentacle/Tentacle\\_18.pdf](http://www.hawaii.edu/Cowielab/tentacle/Tentacle_18.pdf)
- + Haas, F. 1959. Inland mollusks from Venezuela, Southern Brazil, and Peru. *Fieldiana (Zoology)*, Chicago, USA, 39(31):363-371.  
<http://www.archive.org/stream/inlandmollusksfr3931haas#page/n7/mode/2up>

### II. MARINE / ESTUARINE FORMS

- + García, F.J.; Álvarez, M.D. & Troncoso, J.S. 2008. Opisthobranchios de Brasil: Descripción y distribución de

opisthobranchios del litoral de Brasil y del Archipiélago Fernando de Noronha. Vigo, España: Feito, S.L., 215 p.

- + Oliveira, J.M.L.A. et al. 2010. Estrutura populacional de *Lolliguncula brevis* (Mollusca: Cephalopoda) da pesca do camarão no Balneário Shangri-lá, Paraná. Belém, PA: Resumos XXVIII Congresso Brasileiro de Zoologia, Área Mollusca: 1416.
- + Wiggers, F. & Mendes, I.L.V. 2009. First record and new combination of a rissoid gastropod from off south Brazil. *Biotemas*, Florianópolis, 22(4):251-254.  
<http://www.biotemas.ufsc.br/volumes/pdf/volume224/251a254.pdf>

### III. CONTINENTAL FRESHWATER / LIMNIC FORMS

- + Angonesi, L.G. et al. 2008. Tolerance to salinities shocks of the invasive mussel *Limnoperna fortunei* under experimental conditions. *Iheringia, Série Zoologia*, Porto Alegre, 98(1):66-69.
- + Belz, C.E. et al. 2005. Prospecção do molusco invasor *Limnoperna fortunei* (Dunker, 1857) em reservatórios e sistemas de usinas hidrelétricas da Companhia Paranaense de Energia-COPEL. *Acta Biológica Leopoldensia*, 27(2):123-126.  
[http://www.unisinos.br/publicacoes\\_cientificas/images/stories/pdfs\\_acta/v27n2/acta\\_com01.pdf](http://www.unisinos.br/publicacoes_cientificas/images/stories/pdfs_acta/v27n2/acta_com01.pdf)
- + Belz, C.E. et al. 2010. Análise da densidade larval do mexilhão dourado (*Limnoperna fortunei*) em reservatórios de usinas hidrelétricas no Rio Iguaçu, Paraná. Belém, PA: Resumos XXVIII Congresso Brasileiro de Zoologia, Área Mollusca: 1428.
- + Belz, C. E. et al. Density, recruitment, and shell growth of *Limnoperna fortunei* (Mytilidae), an invasive mussel in tropical South America. *Journal of Freshwater Ecology*, 25(2): 227-233. <http://www.jfreshwaterecol.com/contents.htm>
- + Bergmann, C.P. et al. 2010. Avaliação de materiais e revestimentos para o controle de incrustações do mexilhão dourado *Limnoperna fortunei* (Dunker, 1857). *Biotemas*, Florianópolis, 23(2):87-100.  
<http://www.biotemas.ufsc.br/volumes/pdf/volume232/87a100Final.pdf>
- + Bergonci, P.E.A. et al. 2009. Population sampling of the golden mussel, *Limnoperna fortunei* (Dunker, 1857), based on artificial ceramic substrate. *Biotemas*, Florianópolis, 22(3):85-94.
- + Gomes, L.T. et al. 2010. Variação de peso e comprimento em relação ao sexo *Limnoperna fortunei* (Dunker, 1857) no Rio Paraná e Rio Baía - Paraná. Belém, PA: Resumos XXVIII Congresso Brasileiro de Zoologia, Área Mollusca: 1434.
- + Lanzer, R. 1996. Ancyliidae (Gastropoda, Basommatophora) na América do Sul: sistemática e distribuição. *Revista Brasileira de Zoologia*, Curitiba 13(1):175-210.  
<http://www.scielo.br/pdf/rbzool/v13n1/v13n1a18.pdf>
- + Mansur, M.C.D. et al. 2009. Colonização de substrato artificial pelo mexilhão dourado, *Limnoperna fortunei* (Dunker, 1857) (Bivalvia, Mytiloidea, Mytilidae), no Delta do Rio Jacuí (RS, Brasil). *Biotemas*, Florianópolis, 22(1): 75-80.
- + Netto, O.S.M. et al. 2010. Avaliação do impacto ambiental causado pela injeção de Hidróxido de Sódio para controle da bioincrustação em sistemas de resfriamento de usinas hidrelétricas. Belém, PA: Resumos XXVIII Congresso Brasileiro de Zoologia, Área Mollusca: 1427.

+ Pereira, D. *et al.* 2010. Colonização de substrato artificial por macroinvertebrados límnicos, no delta do rio Jacuí (RS, Brasil). *Biotemas*, Florianópolis, 23(1): 101-110.

+ Pinillos, C.M. *et al.* 2010. Aspectos reprodutivos de *Limnoperna fortunei* (Dunker, 1857) no Rio Baía - Paraná. Belém, PA: Resumos XXVIII Congresso Brasileiro de Zoologia, Área Mollusca: 1435.

+ Rosa, F.M. *et al.* 2005. *Biomphalaria tenagophila*: dominant character of the resistance to *Schistosoma mansoni* in descendants of crossbreedings between resistant (Taim, RS) and susceptible (Joinville, SC) strains. *Memórias do Instituto Oswaldo Cruz*, Rio de Janeiro, 100(1):19-23. <http://www.scielo.br/pdf/mioc/v100n1/v100n1a04.pdf>

+ Santos, S.B. 2003. Estado atual do conhecimento dos ancilídeos na América do Sul (Mollusca: Gastropoda; Pulmonata: Basommatophora), pp. 191-224. In: Barrientos, Z. & Monge-Nájera, J. (Eds.). *Malacologia Latinoamericana. Revista de Biología Tropical*, Costa Rica, 51(Suppl. 3). <http://www.ots.ac.cr/tropiweb/attachments/suppls/sup51-3%20malacol/11-Barboza-Estado.pdf>

+ Silva, S.C.A. *et al.* 2010. Análise morfométrica de estágios larvais de *Limnoperna fortunei* no Rio Iguacu, PR, Brasil. Belém, PA: Resumos XXVIII Congresso Brasileiro de Zoologia, Área Mollusca: 1414.

+ Silveira, E.F. da *et al.* 2009. *Pomacea canaliculata* como hospedeira intermediária de equinostomatídeos (Digenea, Echinostomatidae). Implicações sobre o ciclo nos hospedeiros molusco-anatídeo em Jaguarão, Rio Grande do Sul, Brasil. Rio de Janeiro, RJ: Resumos XXI Encontro Brasileiro de Malacologia, Patologia e Parasitologia: 426. [http://www.sbma.uerj.br/\\_recursos/documentos/Livro%20Resumos%20completo106%20julho.pdf](http://www.sbma.uerj.br/_recursos/documentos/Livro%20Resumos%20completo106%20julho.pdf)

+ Soares, P.M. *et al.* 2009. *Biomphalaria* molluscs (Gastropoda: Planorbidae) in Rio Grande do Sul, Brazil. *Memórias do Instituto Oswaldo Cruz*, Rio de Janeiro, 104(5): 783-786. <http://www.scielo.br/pdf/mioc/v104n5/20.pdf>

#### IV. CONTINENTAL TERRESTRIAL FORMS

+ Agudo-Padrón, A.I. 2009. Malacofauna “urbana” do Bairro Vila Regina, Cachoeirinha, região metropolitana de Porto Alegre, RS, Brasil, com especial ênfase no *Helix (Cornu) aspersa* Müller, 1774. II. Novos registros. *Informativo SBMa*, Rio de Janeiro, 40(168): 3-5.

+ Agudo-Padrón, A.I. 2009. First confirmed record of the exotic slug *Milax gagates* (Draparnaud, 1801) in the Southernmost Brazil region. *FMCS Newsletter Ellipsaria*, 11(3): 15-16.

+ Colley, E. & Fischer, M.L. 2009. Avaliação dos problemas enfrentados no manejo do caramujo gigante africano *Achatina fulica* (Gastropoda: Pulmonata) no Brasil. *Zoologia*, 26(4): 674-683. <http://www.scielo.br/pdf/zool/v26n4/v26n4a12.pdf>

+ Colley, E. & Salgado, N.C. 2007. Resultados preliminares sobre a taxonomia dos gastrópodes terrestres do litoral e Serra do Mar do estado do Paraná, Brasil. Rio de Janeiro, RJ: Resumos XX Encontro Brasileiro de Malacologia, Taxonomia e Sistemática: 197.

+ Dutra, A.V.C. 1981. Anatomia, variação e posição sistemática de *Aposcutalus*, um novo subgênero de *Scutalus* Albers, 1850 (Gastropoda, Bulimulidae) com a descrição de uma nova espécie. Available in: Universidade Federal do Paraná, Campus Curitiba, Centro Politécnico, Setor de Ciências Biológicas.

+ Fischer, M.L. 2009. Reações da espécie invasora *Achatina fulica* (Mollusca: Achatinidae) à fatores abióticos: perspectivas para o manejo. *Zoologia*, 26(3):379-385. <http://submission.scielo.br/index.php/zool/article/view/6744/1646>

+ Fischer, M.L. & Colley, E. 2004. Diagnóstico da ocorrência do caramujo gigante africano *Achatina fulica* Bowdich, 1822 na APA de Guaraqueçaba, Paraná, Brasil. *Revista Estudos de Biologia*, 26(54):43-50. <http://www2.pucpr.br/reol/index.php/BS?dd1=877&dd99=pdf>

+ Fischer, M.L. & Colley, E. 2005. Espécie invasora em reservas naturais: caracterização da população de *Achatina fulica* Bowdich, 1822 (Mollusca – Achatinidae) na Ilha Rasa, Guaraqueçaba, Paraná, Brasil. *Biota Neotropica*, Campinas - SP, 5(1):127-144. [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S1676-06032005000100014&lng=en&nrm=iso&tlng=pt](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1676-06032005000100014&lng=en&nrm=iso&tlng=pt) and / or <http://www.scielo.br/pdf/bn/v5n1/v5n1a13.pdf>

+ Fischer, M.L. *et al.* 2006. Alien invasive snail on native forest in Morretes, PR: diagnostic of the *Achatina fulica* Bowdich, 1822 population in an remnant of alluvial Ombrophyllous Dense Forest. *Biota Neotropica*, Campinas - SP, 6(2):1-5. <http://www.scielo.br/pdf/bn/v6n2/v6n2a28.pdf> or <http://www.biotaneotropica.org.br/v6n2/pt/fullpaper?bn03306022006+pt>

+ Fischer, M.L. *et al.* 2008. Utilização de recursos alimentares presentes no ambiente antrópico pelo caramujo gigante africano *Achatina fulica* Bowdich, 1822: subsídios para o manejo. *Bioikos*, Campinas, 22(2): 91-100. Disponível em: <http://www.puc-campinas.edu.br/centros/ccv/Bioikos/artigos/v22n2a3.pdf>

+ Gomes, S.R. *et al.* 2010. Molecular phylogeny of the South American land slug *Phyllocaulis* (Mollusca, Soleolifera, Veronicellidae). *Zoologica Scripta*, Norway, 39(2): 177-186.

+ Heydrich, I. 2010. Malacofauna associada à serrapilheira em uma área de arenização no Bioma Pampa no Sul do Brasil. Belém, PA: Resumos XXVIII Congresso Brasileiro de Zoologia, Área Mollusca: 1400.

+ Indrusiak, L.F. 1979. Anatomia comparada e biologia de três espécies paranaenses de *Mirinaba* (Morretes, 1952) (Gastropoda, Strophocheilidae). Available in: Universidade Federal do Paraná, Campus Curitiba, Centro Politécnico, Setor de Ciências Biológicas.

+ Pedeuce, M. da S. & Heydrich, I. 2009. Estudo conchiliométrico de populações de *Megalobulimus abbreviatus* (Gastropoda, Megalobulimidae). Porto Alegre, RS: Fundação Zoobotânica do Rio Grande do Sul - FZBRS, V Jornada de Iniciação Científica - Meio Ambiente, Junho 16 a 19 de 2009, *Zoologia* (017):157.

+ Salgado, N.C. & Coelho, A.C. dos S. 2003. Moluscos terrestres do Brasil (Gastrópodes operculados ou não, exclusive Veronicellidae, Milacidae e Limacidae). *Revista de Biologia Tropical*, San José de Costa Rica, 51 (Suppl. 3):149-189. [http://www.ots.ac.cr/tropiweb/attachments/suppls/sup51-3%20malacol/10-CAMPOS\\_42.pdf](http://www.ots.ac.cr/tropiweb/attachments/suppls/sup51-3%20malacol/10-CAMPOS_42.pdf)

+ Simião, M.S. & Fischer, M.L. 2004. Estimativa e inferências do método de controle do molusco exótico *Achatina fulica* Bowdich 1822 (Stilommatophora ; Achatinidae) em Pontal do Paraná, Litoral do Estado do Paraná. *Cadernos da Biodiversidade*, Maringá - PR, 4(2):74-82. [http://www.meioambiente.pr.gov.br/arquivos/File/iap/artigo\\_9.pdf](http://www.meioambiente.pr.gov.br/arquivos/File/iap/artigo_9.pdf)

+ Thomé, J.W.; Arruda, J.O. & Silva, L.F. da. 2007. Moluscos terrestres no Cone Meridional da América do Sul, Diversidade e Distribuição. *Ciência & Ambiente*, Santa Maria - RS, 1(1):9-28.\*

\* This contribution relates a total of 54 species and subspecies of terrestrial gastropods for the Paraná's State - PR, as well as 82 these same ways for the Rio Grande do Sul State - RS

#### References:

- Agudo-Padrón, A.I. 2009 a. New malacological records from Paraná State, Southern Brazil region, with a general synthesis of current knowledge. *FMCS Newsletter Ellipsaria*, 11(1): 11-13.
- Agudo-Padrón, A.I. 2009 b. General mollusk fauna of Rio Grande do Sul State, Southernmost Brazil region: a preliminary revision rehearsal. *FMCS Newsletter Ellipsaria*, 11(1): 13-18.
- Agudo-Padrón, A.I. 2009 c. New malacological records from Paraná State, PR, Southern Brazil Region. II. Supplementary Annex. *FMCS Newsletter Ellipsaria*, 11(2): 6-7.
- Agudo-Padrón, A.I. 2009 d. General mollusk fauna of Rio Grande do Sul State, RS, Southernmost Brazil Region: a preliminary revision rehearsal. II. New bibliographical records. *FMCS Newsletter Ellipsaria*, 11(2): 9-10.
- Agudo-Padrón, A.I. 2010. Continental mollusks occurrence in the North region of Paraná - PR, Southern Brazil, with additional new records and observations for the State territory. *FMCS Newsletter Ellipsaria*, 12(2): 10-13.

---

## Mollusk fauna of Santa Catarina's State, SC, Southern Brazil: a regional bibliographical compilation

A. Ignacio Agudo-Padrón  
Project "Avulsos Malacológicos – AM"  
Caixa Postal (P. O. Box) 010, 88010-970 Centro,  
Florianópolis, Santa Catarina - SC, Brasil  
ignacioagudo@gmail.com / <http://www.malacologia.com.br>

Similar to the fact for the neighbor States of Rio Grande do Sul - RS (Agudo-Padrón 2009 b, e) and Paraná - PR (Agudo-Padrón 2009 a, c), a compilation of the main bibliographical sources of interest follows, seeking to contribute to the regional knowledge of this diversified invertebrate fauna, already considered in the extent as one of the more poorly studied and known of Brazil (Agudo 2002, 2004; Agudo-Padrón 2008:147, 2010a:32, 2010b:13):

### I. GENERAL FORMS

- + Agudo, A.I. 2002. Malacofauna continental ocorrente na Mesorregião da Grande Florianópolis, Santa Catarina, Brasil. São Paulo, SP: Resúmenes V Congreso Latinoamericano de Malacologia: 101.
- + Agudo, A.I. 2002. Malacofauna continental ocorrente na Ponta do Papagaio e áreas adjacentes, Mesorregião da Grande Florianópolis, Município Palhoça, Santa Catarina, Brasil. São Paulo, SP: Resumos V Congreso Latinoamericano de Malacologia: 102.
- + Agudo, A.I. 2002. Malacofauna do Parque Municipal da Galheta, Ilha de Santa Catarina, Mesorregião da Grande Florianópolis, Santa Catarina, Brasil. São Paulo, SP: Resúmenes V Congreso Latinoamericano de Malacologia: 103.
- + Agudo, A.I. 2003. Inventário preliminar dos moluscos continentais ocorrentes no Estado de Santa Catarina, SC, região Sul do Brasil. Rio de Janeiro, RJ: Resumos XVIII

Encontro Brasileiro de Malacologia: 204.

- + Agudo, A.I. 2004. Os moluscos continentais do Estado de Santa Catarina SC: uma síntese do seu atual conhecimento. *Informativo SBMa*, Rio de Janeiro, 35(147): 3-4.
- + Agudo, A.I. 2004. Preliminary general inventory of continental mollusks (Gastropoda & Bivalvia) from Santa Catarina State, Southern Brazil. *FMCS Newsletter Ellipsaria*, 6(3): 14-16.
- + Agudo, A.I. 2005. Novos registros de moluscos continentais para o Estado de Santa Catarina, região Sul do Brasil. Rio de Janeiro, RJ: Resumos XIX Encontro Brasileiro de Malacologia: 264.
- + Agudo, A.I. 2005. Estado atual do conhecimento da malacofauna continental ocorrente na "Grande Florianópolis", Estado de Santa Catarina, região Sul do Brasil. Rio de Janeiro, RJ: Resumos XIX Encontro Brasileiro de Malacologia: 265.
- + Agudo, A.I. 2005. Malacofauna ocorrente no Bosque Vereador Pedro Medeiros, Bairro do Estreito, Florianópolis Continental, Santa Catarina, região Sul do Brasil. Rio de Janeiro, RJ: Resumos XIX Encontro Brasileiro de Malacologia: 266.
- + Agudo, A.I. 2005. New records to add to inventory of continental mollusks (Gastropoda & Bivalvia) from Santa Catarina State, Southern Brazil. *FMCS Newsletter Ellipsaria*, 7(3): 8-9.
- + Agudo, A.I. 2006. New records of continental mollusks (Bivalvia & Gastropoda) from Paraná and Santa Catarina States, Southern Brazil region. *FMCS Newsletter Ellipsaria*, 8(1): 10-11.
- + Agudo, A.I. 2007. Biogeografia das doenças transmissíveis por moluscos vetores no Estado de Santa Catarina, com ênfase na "Angiostrongilíase abdominal". *Revista Discente Expressões Geográficas*, Florianópolis, 3(3):104-105. <http://www.geograficas.cfh.ufsc.br/arquivo/ed03/01tcc.pdf>
- + Agudo, A.I. 2007. Continental land and freshwater molluscs in Santa Catarina State, Southern Brazil: a general review of current knowledge. *IUCN/SSC Internet Newsletter Tentacle*, (15): 11-14. [http://www.hawaii.edu/Cowielab/tentacle/tentacle\\_15.pdf](http://www.hawaii.edu/Cowielab/tentacle/tentacle_15.pdf)
- + Agudo, A.I. 2007. Biogeography of the transmissible diseases for intermediate host mollusks in the Santa Catarina State, Southern Brazil region. *UNITAS Malacologica Newsletter*, Dublin, Ireland, (24):21. [http://www.ucd.ie/cobid/unitas/newsletter/UMNewsletter\\_24.pdf](http://www.ucd.ie/cobid/unitas/newsletter/UMNewsletter_24.pdf)
- + Agudo, A.I. & Bleicker, M.S. 2004. Malacofauna recente da Baixada do Massiambú, Município Palhoça, Santa Catarina - SC. Londrina, PR: Resumos XXVI Congresso Brasileiro de Zoologia: 284-285.
- + Agudo, A.I. & Bleicker, M.S. 2006. First general inventory of the malacological fauna of Santa Catarina State, Southern Brazil. *IUCN/SSC Internet Newsletter Tentacle*, (14): 8-10. [http://www.hawaii.edu/Cowielab/tentacle/tentacle\\_14.pdf](http://www.hawaii.edu/Cowielab/tentacle/tentacle_14.pdf)
- + Agudo, A.I. & Bleicker, M.S. 2006. Moluscos exóticos no Estado de Santa Catarina. *Informativo SBMa*, Rio de Janeiro, 37(157): 6-8.
- + Agudo-Padrón, A.I. 2006. Biogeografia das doenças transmissíveis por moluscos vetores no Estado de Santa Catarina, com ênfase na "Angiostrongilíase abdominal". Florianópolis, SC: Universidade do Estado de Santa Catarina - UDESC, Monografia Bacharelado Geografia, I - XVIII + 98 p., 45 figs., 4 tabs. <http://74.125.47.132/search?q=cache:j8kEP2->

- 7i\_sJ:www.pergamum.udesc.br (english abstract, p. 10).
- + Agudo-Padrón, A.I. 2006. Intermediate host mollusks (Gastropoda: Pulmonata) of parasitic diseases in Santa Catarina's State, Southern Brazil, with inclusion of new records to add to regional inventory. *FMCS Newsletter Ellipsaria*, 8(2): 11-13.
- + Agudo-Padrón, A.I. 2007. Moluscos continentais ocorrentes no Estado de Santa Catarina, sul do Brasil: uma revisão geral. Rio de Janeiro, RJ: Resumos XX Encontro Brasileiro de Malacologia : 226.
- + Agudo-Padrón, A.I. 2007. Biogeografia das doenças transmissíveis por moluscos vetores no Estado de Santa Catarina, Sul do Brasil. Rio de Janeiro, RJ: Resumos XX Encontro Brasileiro de Malacologia: 240.
- + Agudo-Padrón, A.I. 2007. Moluscos e saúde pública no Estado de Santa Catarina. *Informativo SBMa*, Rio de Janeiro, 38(161): 4-6.
- + Agudo-Padrón, A.I. 2008. Member report: Brazil. *UNITAS Malacologica Newsletter*, Dublin - Ireland, (27): 9. [http://www.ucd.ie/cobid/units/newsletter/UMNewsletter\\_27.pdf](http://www.ucd.ie/cobid/units/newsletter/UMNewsletter_27.pdf)
- + Agudo-Padrón, A.I. 2008. Levantamento biogeográfico de moluscos no Estado de Santa Catarina, SC, região Sul do Brasil, Vertente Atlântica do Cone Meridional da América do Sul. *Caminhos de Geografia*, Uberlândia, 9(28): 126-133. <http://www.caminhosdegeografia.ig.ufu.br/viewarticle.php?id=664&layout=abstract>
- + Agudo-Padrón, A.I. 2008. First registration of continental mollusks in the Extreme West region of Santa Catarina's State, SC, Southern Brazil. *FMCS Newsletter Ellipsaria*, 10(2):10-11.
- + Agudo-Padrón, A.I. 2008. Listagem sistemática dos moluscos continentais ocorrentes no Estado de Santa Catarina, Brasil (Systematic list of freshwater and land molluscs of Santa Catarina State, Brazil). *Comunicaciones de la Sociedad Malacológica del Uruguay*, Montevideo, 9(91):147-179. <http://redalyc.uaemex.mx/redalyc/pdf/524/52412049003.pdf>
- + Agudo-Padrón, A.I. 2009. Recent terrestrial and freshwater molluscs of Santa Catarina State, SC, Southern Brazil region: a comprehensive synthesis and check list. *VISAYA Net*, Cebú - Philippines (April 20, 2009):1-12. <http://www.conchology.be/?t=41>
- + Agudo-Padrón, A.I. 2009. Recent continental malacological researches and inventory in the Southern Brazil and the general "Atlantic Slope of the South Cone", South America: a comparative relationship addenda. *VISAYA Net*, Cebú-Philippines (July 21, 2008):1-4. <http://www.conchology.be/?t=41>
- + Agudo-Padrón, A.I. 2009. Endangered continental mollusks of Santa Catarina State, Southern Brazil: an brief overview. *FMCS Newsletter Ellipsaria*, 11(2): 7-8.
- + Agudo-Padrón, A. I. 2010. The mollusc fauna of Santa Catarina State, Southern Brasil: knowledge gained from 13 years of research. *IUCN/SSC Internet Newsletter Tentacle*, (18): 32-37. [http://www.hawaii.edu/Cowielab/tentacle/Tentacle\\_18.pdf](http://www.hawaii.edu/Cowielab/tentacle/Tentacle_18.pdf)
- + Agudo-Padrón, A.I. 2010. Mollusk fauna of Santa Catarina's State, SC, Southern Brazil region: 14 years synthesis of knowledge and research. *FMCS Newsletter Ellipsaria*, 12(1):10-15.
- + Agudo-Padrón, A.I. & Bleicker, M.S. 2009. Malacological research in the "Serra do Tabuleiro" Ecological State Park, Santa Catarina's State, SC, Southern Brasil. *IUCN/SSC Internet Newsletter Tentacle*, (17):9 - 12. [http://www.hawaii.edu/Cowielab/tentacle/tentacle\\_17.pdf](http://www.hawaii.edu/Cowielab/tentacle/tentacle_17.pdf)
- + Agudo-Padrón, A.I. & Lenhard, P. 2010. Introduced and invasive exotic molluscs in Brazil: an brief overview. *IUCN/SSC Internet Newsletter Tentacle*, (18):37-41. [http://www.hawaii.edu/Cowielab/tentacle/Tentacle\\_18.pdf](http://www.hawaii.edu/Cowielab/tentacle/Tentacle_18.pdf)
- + Agudo-Padrón, A.I.; Veado, R. W. ad-Víncula & Saalfeld, K. 2010. Moluscos e Saúde Pública em Santa Catarina: Subsídios para a Formulação Estadual de Políticas Preventivas Sanitaristas. Florianópolis, SC: ... Monograph in editorial preparation.
- + Carvalho Júnior, O. 2007. No rastro da lontra brasileira. Florianópolis, SC: Bernúncia Editora, 112 p. (see pág. 79).
- + Haas, F. 1959. Inland mollusks from Venezuela, Southern Brazil, and Peru. *Fieldiana (Zoology)*, Chicago, USA, 39(31):363-371. <http://www.archive.org/stream/inlandmollusksfr3931haas#page/n7/mode/2up>
- + Morretes, F.L. 1949. Ensaio de Catálogo dos Moluscos do Brasil. Curitiba: *Arquivos do Museu Paranaense*, Curitiba, 7(1): 5-216.
- + Morretes, F.L. 1953. Addenda e Corrigenda ao Ensaio de Catálogo dos Moluscos do Brasil. Curitiba: *Arquivos do Museu Paranaense*, Curitiba, 10 (2): 37-76.
- + Ohlweiler, F.P. et al. 2010. Manual de Gastrópodes Límnicos e Terrestres do Estado de São Paulo Associados às Helminthoses. Porto Alegre, RS: FAPESP/ Redes Editora, 224p.
- + Oliveira, M.P. de & Almeida, M.N. de. 1999. Conchas dos caramujos terrestres do Brasil / Land shells from Brazil. Juiz de Fora, MG: Editar Editora Associada, 61 p. + Ficha bibliográfica.
- + Padrón, A.I.A. 1999. Fauna geral e flora marinha "notável" da região costeira centro-leste da Ilha de Santa Catarina (SC), p. 81-116. In: Mar de Sangue. Florianópolis, SC: Crifasemar, 135 p.
- + Simone, L.R.L. 2006. Land and freshwater molluscs of Brazil. São Paulo, SP: FAPESP, 390 p.
- + Simone, L.R.L. 2008. Corrigenda for the book "Land and Freshwater Molluscs of Brazil" (2006). *Strombus*, São Paulo, 15(2): 30-31.

## II. MARINE / ESTUARINE FORMS

- + Agudo, I. 2006. Panorama da malacocultura no Brasil. São Paulo, SP: Conquiliologistas do Brasil – CdB. <http://www.conchasbrasil.org.br/materias/malacocultura/index.asp>
- + Agudo, A.I. & Bleicker, M.S. 2005. Inventário preliminar dos moluscos marinhos ocorrentes no Estado de Santa Catarina, região Sul do Brasil. Rio de Janeiro, RJ: Resumos XIX Encontro Brasileiro de Malacologia: 257.
- + Agudo, A.I. & Bleicker, M.S. 2005. Malacofauna marinha catarinense: uma aproximação ao estado atual do conhecimento dos moluscos marinhos. I: Gastrophoda. *Informativo SBMa*, Rio de Janeiro, 36(151): 3-7.
- + Agudo, A.I. & Bleicker, M.S. 2005. Malacofauna marinha catarinense: uma aproximação ao estado atual do conhecimento dos moluscos marinhos. II: Bivalvia. *Informativo SBMa*, Rio de Janeiro, 36(152): 4-7.
- + Agudo, A.I. & Bleicker, M.S. 2005. Malacofauna marinha catarinense: uma aproximação ao estado atual do conhecimento dos moluscos marinhos. III: Polyplacophora, Scaphopoda, Cephalopoda. *Informativo SBMa*, Rio de Janeiro, 36(153): 5-6.
- + Agudo, A.I. & Bleicker, M.S. 2005. Malacofauna marinha

- catarinense: uma aproximação ao estado atual do conhecimento dos moluscos marinhos. IV: Adenda: registros adicionais. *Informativo SBMa*, Rio de Janeiro, 36(154): 4-6.
- + Agudo-Padrón, A.I. & Bleicker, M.S. 2008. Malacofauna marinha catarinense: estado atual do conhecimento dos moluscos marinhos. V: Acréscimos ao cadastro de espécies. *Informativo SBMa*, Rio de Janeiro, 39(164): 8-10.
- + Agudo-Padrón, A.I. & Bleicker, M.S. 2009. Malacofauna marinha catarinense. VI. Novos acréscimos ao cadastro de espécies. *Informativo SBMa*, Rio de Janeiro, 40(168): 8.
- + Agudo-Padrón, A.I. & Bleicker, M.S. 2009. First registration of wild rocky coast mussels *Perna perna* (Linnaeus, 1758) infested by boring bivalves in the "Moleques do Sul" Island, Serra do Tabuleiro Ecological State Park, Palhoça Municipal District, Santa Catarina State, SC, Southern Brazil. *FMCS Newsletter Ellipsaria*, 11(3): 14-15.
- + Agudo-Padrón, A.I.; Bleicker, M.S. & SAALFELD, K. 2007. Moluscos marinhos ocorrentes no Estado de Santa Catarina, região Sul do Brasil: uma revisão geral. Rio de Janeiro, RJ: Resumos XX Encontro Brasileiro de Malacologia: 217.
- + Agudo-Padrón, A.I.; Bleicker, M.S. & SAALFELD, K. 2009. Recent Marine Molluscs of Santa Catarina State, SC, Southern Brazil Region: A Comprehensive Synthesis and Check List. *VISAYA Net*, Cebú - Philippines (April 20, 2009):1-17. <http://www.conchology.be/?t=41>
- + Agudo, A.I. & Saalfeld, K. 2003. Registro da ocorrência de Chitons (Mollusca: Polyplacophora) no litoral do Estado de Santa Catarina, SC, região Sul do Brasil. Rio de Janeiro, RJ: Resumos XVIII Encontro Brasileiro de Malacologia: 195.
- + Agudo, A. & Saalfeld, K. 2004. Registro da ocorrência de Escafópodes (Mollusca: Scaphopoda) no litoral do Estado de Santa Catarina - SC. Londrina, PR: Resumos XXVI Congresso Brasileiro de Zoologia: 295.
- + Alves, R. Nova ocorrência do nudibrânquio *Polycera aurisula* Marcus, 1957, para o litoral de Santa Catarina, SC. Itajaí, SC: Resumos XXIV Congresso Brasileiro de Zoologia: ... no. 6061.
- + Alves, R. & Boehs, G. 2003. Nova ocorrência dos gastrópodes *Natica micra* (Haas, 1953) e *Solariorbis shumoi* (Vanatta, 1913), para a Ilha de Santa Catarina (SC, Brasil). Rio de Janeiro, RJ: Resumos XVIII Encontro Brasileiro de Malacologia: 188.
- + Alves, R. & Magalhães, A.R.M. 2010. Método para obtenção de metáfases mitóticas de ostras para o estudo do cariótipo. *Biotemas*, Florianópolis, 23(1): 111-119.
- + Amaral, A.C.Z. *et al.* 2006. Manual de identificação dos invertebrados marinhos da região Sudeste - Sul do Brasil. São Paulo, SP: EDUSP, 288 p.
- + Caregnato, F.F. *et al.* 2009. Taxonomic composition of mollusks collected from the stomach content of *Astropecten brasiliensis* (Echinodermata:Asteroidea) in Santa Catarina, Brazil. *Revista Brasileira de Biociências*, Porto Alegre, 7(3):252-259. <http://www6.ufrgs.br/seerbio/ojs/index.php/rbb/article/view/1182/870>
- + Coltro, J. 2005. Three new Buccinidae (Mollusca: Gastropoda) from Brazil. *Strombus*, São Paulo, (12): 1-6.
- + Ferreira, J. F. 2007. Extensão na malacocultura e larvicultura de moluscos (hatchery): o papel das instituições públicas, p. 109-122.. *In: SANTOS, S.B. et al (Orgs.). Tópicos em Malacologia – Ecos do XVIII Encontro Brasileiro de Malacologia*. Rio de Janeiro, RJ: SBMa, XIV + 365 p.
- + García, F.J.; Álvarez, M.D. & Troncoso, J.S. 2008. Opisthobranchios de Brasil: Descripción y distribución de opisthobranchios del litoral de Brasil y del Archipiélago Fernando de Noronha. Vigo, España: Feito, S.L., 215 p.
- + Kaas, P. 1974. A new *Ischnochiton* from Brazil. *Basteria*, 38: 93-97.
- + Linenburg Jr., J.; Saalfeld, K. & González, B. 2003. Octocorallia (Cnidaria: Anthozoa) da Ilha de Santa Catarina, ilhas vizinhas e sua fauna associada. Fortaleza, CE: Anais de Trabalhos Completos VI Congresso de Ecologia do Brasil: 324-325.
- + Müller, A.C. de P. & Lana, P. da C. 2004. Manual de identificação de moluscos bivalves da família dos tereidinídeos encontrados no litoral brasileiro. Curitiba, PR: Editora da UFPR, 148 p.
- + Noronha, F. de O. *et al.* 2008. Contribuição aos estudos de Bivalvia e Gastropoda (Mollusca), na região de Porto Belo, Santa Catarina. Curitiba, PR: Resumos XXVII Congresso Brasileiro de Zoologia, Malacologia: P-1362.
- + Oliveira, M.P. de & Almeida, M.N. de. 1999. Comunicação malacológica no. 19 Universidade Federal de Juiz de Fora. Contribuição ao conhecimento da família Caecidae (Mollusca, Gastropoda) no Brasil. *Strombus*, São Paulo, (4): 1-12.
- + Pimenta, A.D. & Costa, P.M.S. 2002. Espécies de moluscos marinhos descritas para o litoral do Brasil posteriores a Rios (1994). *Informativo SBMa*, Rio de Janeiro, 33 (139): 4-5.
- + Pimpão, D.M. 2001. Posturas de gastrópodes marinhos da Ilha de Santa Catarina. Santa Catarina's Federal University – UFSC, Florianópolis, Graduated Dissertation Thesis in Biological Sciences, 48 p.
- + Pimpão, D.M. & Magalhães, A.R.M. 2005. Primeiro registro de *Spurilla neapolitana* (Gastropoda, Nudibranchia) no litoral catarinense, SC, Brasil. *Biociências*, Porto Alegre, 12(2):181-183.
- + Pontinha, V. de A. *et al.* 2009. Parasitas da ostra *Crassostrea gigas* cultivadas nas baías de Florianópolis, Santa Catarina, Brasil. Rio de Janeiro, RJ: Resumos XXI Encontro Brasileiro de Malacologia, Patologia e Parasitologia:425. [http://www.sbma.uerj.br/\\_recursos/documentos/Livro%20Resumos%20completo106%20julho.pdf](http://www.sbma.uerj.br/_recursos/documentos/Livro%20Resumos%20completo106%20julho.pdf)
- + Rios, E. C. 1970. Coastal brazilian seashells. Rio Grande, RS: Fundação Cidade do Rio Grande, Museu Oceanográfico de Rio Grande, 265 p., 2 maps., 60 pls.
- + Rios, E. de C. 1975. Brazilian marine mollusks iconography. Rio Grande, RS: Museu Oceanográfico da FURG, 331 p., 91 pls.
- + Rios, E. de C. 1985. Seashells of Brazil. Rio Grande, RS: Fundação Universidade do Rio Grande, Museu Oceanográfico, 329 p., 102 pls.
- + Rios, E. de C. 1994. Seashells of Brazil. Rio Grande, RS: Fundação Universidade do Rio Grande, Museu Oceanográfico, 2nd. Edition, 329 p., 102 pls.
- + Rios, E. de C. 2009. Compendium of Brazilian Sea Shells. Rio Grande, RS: Evangraf, 668 p.
- + Ruhland, J. & Saalfeld, K. 1987. Ocorrência e distribuição de algumas espécies de moluscos marinhos da Ilha de Santa Catarina, SC, Brasil (Gastropoda, Bivalvia). *Iheringia*, Série Zoologia, Porto Alegre, 66: 83-94.
- + Silveira Jr., *et al.* 2007. Ocorrência de *Myoforceps aristatus* (Dillwyn, 1817), bivalve exótico e perfurador de conchas, em

cultivos de vieiras e ostras da Ilha de Santa Catarina, Brasil. Rio de Janeiro, RJ: Resumos XX Encontro Brasileiro de Malacologia: 236.

+ Simone, L.R.L. 2003. Histórico da malacologia no Brasil. *Revista de Biologia Tropical*, San José de Costa Rica, 51 (Suppl. 3): 139-147.

+ Tarasconi, J. C. 1989. Novos registros de moluscos marinhos para o litoral de Santa Catarina. *Informativo SBMa*, Rio de Janeiro, 20 (96): 12-16.

+ Tarasconi, J. C. 1993. Ampliação da distribuição geográfica de moluscos marinhos para o litoral Sul do Brasil. *Siratus*, São Paulo, 2 (12): 16-18.

+ Thomás, A.R.G. 2008. Moluscos: pesca, extrativismo e cultivo no Brasil. *Informativo SBMa*, Rio de Janeiro, 39(164):6-8.

+ Thomé, J. W. *et al.* 2004. As conchas das nossas praias: guia ilustrado. Pelotas, RS: Editora da USEB, 96 p.

+ Veiga, M.P.T. *et al.* 2010. Regulação iônica e manutenção de água tecidual em *Stramonita haemastoma* (Mollusca: Gastropoda). Belém, PA: Resumos XXVIII Congresso Brasileiro de Zoologia, Área Mollusca: 1430.

+ Villar, L.E.C. de. 2008. Variação espacial de densidade e tamanho do complexo *Littorina ziczac* (Gmelin, 1791) (Mollusca : Gastropoda) em costões da Ilha de Santa Catarina, SC. Santa Catarina's Federal University – UFSC, Florianópolis, Graduated Dissertation Thesis in Biological Sciences, 33 p.

+ Wiggers, F. & Magalhães, A.R.M. 2003. Novas ocorrências de moluscos no litoral de Santa Catarina, Brasil. *Biotemas*, Florianópolis, 16(1): 81-89.

+ Wiggers, F. *et al.* 1999. Nova ocorrência de quatro espécies de moluscos gastrópodes para o litoral catarinense. Recife, PE: Resumos XVI Encontro Brasileiro de Malacologia: 91.

+ Wiggers, F. *et al.* 1999. Nova ocorrência duas espécies bivalves para o litoral catarinense. Recife, PE: Resumos XVI Encontro Brasileiro de Malacologia: 90.

### III. CONTINENTAL FRESHWATER / LIMNIC FORMS

+ Agudo, A.I. 2002. Preliminary report about the freshwater mussels/clams (Bivalvia: Unionoidea & Veneroidea) of Santa Catarina State, Southern Brazil.. *FMCS Newsletter Ellipsaria*, 4(2):10-11.

+ Agudo, A.I. 2003. Freshwater mollusks inventory (Gastropoda & Bivalvia) of Santa Catarina State, Southern Brazil. *FMCS Newsletter Ellipsaria*, 5(1):12-13.

+ Agudo, A.I. 2003. Ocorrência de moluscos continentais dulce-aquícolas no Estado de Santa Catarina, SC, região Sul do Brasil. Rio de Janeiro, RJ: Resumos XVIII Encontro Brasileiro de Malacologia: 205.

+ Agudo, A.I. 2003. New freshwater mollusk reports (Gastropoda & Bivalvia) of Santa Catarina State, Southern Brazil. *FMCS Newsletter Ellipsaria*, 5(2):8.

+ Agudo, A.I. 2003. New records of freshwater mollusks (Gastropoda & Bivalvia) from Santa Catarina State, Southern Brazil - II. *FMCS Newsletter Ellipsaria*, 5(3):15.

+ Agudo, A.I. 2004. Preliminary report on the freshwater mollusks fauna of Mampituba river basin, Santa Catarina State, Southern Brazil. *FMCS Newsletter Ellipsaria*, 6(1):10-11.

+ Agudo, A.I. 2004. The freshwater mollusks fauna of Santa Catarina State, Southern Brazil: a comprehensive general synthesis. *FMCS Newsletter Ellipsaria*, 6(1):11-12.

+ Agudo, A.I. 2004. Additional new records of freshwater

mollusks (Gastropoda & Bivalvia) from Santa Catarina State, Southern Brazil, with complementary observations about mollusks fauna from the Mampituba river basin. *FMCS Newsletter Ellipsaria*, 6(2): 14-15.

+ Agudo, A.I. 2004. Zoogeographical distribution on the freshwater mussels/naiades (Bivalvia: Unionoidea & Veneroidea) in Santa Catarina State's territory, Southern Brazil. *FMCS Newsletter Ellipsaria*, 6(2): 20-21.

+ Agudo, A.I. 2004. Ocorrência do mexilhão-dourado, *Limnoperna fortunei* (Dunker, 1857), em Santa Catarina ????. *Informativo SBMa*, Rio de Janeiro, 35(148): 5.

+ Agudo, A.I. 2005. The freshwater mussels/naiads of Upper and Medium sessions of the Uruguay River Basin, Southern Brazil: a brief approach to its knowledge. *FMCS Newsletter Ellipsaria*, 7(2): 9-10.

+ Agudo, A.I. 2007. Exotic isolated occurrence of the mussel naiaid *Leila blainvilleana* (Lea, 1834) in a freshwater coastal Lagoon of the Santa Catarina Island, Southern Brazil. *FMCS Newsletter Ellipsaria*, 9(3): 10-12.

+ Agudo, A.I. & Saalfeld, K. 2003. Registro da ocorrência de moluscos bivalvos continentais - naiades - no Estado de Santa Catarina, SC, região Sul do Brasil. Rio de Janeiro, RJ: Resumos XVIII Encontro Brasileiro de Malacologia: 206.

+ Agudo-Pradrón, A.I. 2006. Asiatic golden mussel, *Limnoperna fortunei* (Dunker, 1857), in the Uruguay River Basin: a report about the progress heading in direction to the Southwest Brazil region. *FMCS Newsletter Ellipsaria*, 8(2): 10-11.

+ Agudo-Pradrón, A.I. 2007. Invader progress of the asiatic golden mussel, *Limnoperna fortunei* (Dunker, 1857), in Southern Brazil. II: vulnerable geographical points to its entrance in the Santa Catarina State territory. *FMCS Newsletter Ellipsaria*, 9(1): 17-19.

+ Agudo-Pradrón, A.I. 2007. Potencial ingresso do mexilhão dourado *Limnoperna fortunei* (Dunker, 1857) no Estado de Santa Catarina, sul do Brasil. Rio de Janeiro, RJ: Resumos Encontro Brasileiro de Malacologia : 238.

+ Agudo-Pradrón, A.I. 2007. Diagnóstico sobre a potencial ocorrência do mexilhão-dourado asiático, *Limnoperna fortunei* (Dunker, 1857), no Estado de Santa Catarina, Brasil. *Informativo SBMa*, Rio de Janeiro, 38(162): 4-5.

+ Agudo-Pradrón, A.I. 2008. Occurrence of the invasive exotic freshwater snail *Melanoides tuberculatus* (Müller, 1774) in Santa Catarina State, Southern Brazil, and the potential implications for the local public health. *FMCS Newsletter Ellipsaria*, 10(1): 16-17.

+ Agudo-Pradrón, A.I. 2008. Vulnerabilidade da rede hidrográfica do Estado de Santa Catarina, SC, ante o avanço invasor do mexilhão-dourado, *Limnoperna fortunei* (Dunker, 1857). *Revista Discente Expressões Geográficas*, Florianópolis, 4(4): 75-103.  
<http://www.geograficas.cfh.ufsc.br/arquivo/ed04/artigo04.pdf> .

+ Agudo-Pradrón, A.I.; Alves JR., J.C.; Serafim, R.N. & Ranzi, T.J.D. 2007. Proposta de prevenção ativa contra o Mexilhão-dourado. Palhoça, SC: ECOSFERA Consultoria Ambiental, Documento técnico executivo, 10 p.

+ Agudo-Pradrón, A.I. & Oliveira, J.V. de. 2008. Malacological fauna in irrigated rice fields of the Southern Brazil: a comprehensive general study. *UNITAS Malacologica Newsletter*, Dublin, Ireland, (26):8.  
[http://www.ucd.ie/cobid/unitas/newsletter/UMNewsletter\\_26.p](http://www.ucd.ie/cobid/unitas/newsletter/UMNewsletter_26.p)



- df + Agudo-Padrón, A.I. & Oliveira, J.V. de. 2008. Mollusk fauna occurrence in irrigated rice fields of the Southern Brazil: a preliminary general report. *FMCS Newsletter Ellipsaria*, 10(1): 13-16.
- + Callil, C.T. & Mansur, M.C.D. 2002. Corbiculidae in the Pantanal: history of invasion in southeast and central South America and biometrical data. *Amazoniana*, 17(1/2): 153-167.
- + Cardozo, F. da S.; Pereira, G.; Agudo-Padrón, A.I.; Nascimento, C. do & Abdalla, A. 2008. Análise do uso e ocupação da terra na bacia da Lagoa do Peri-Florianópolis (SC). *Caminhos de Geografia*, Uberlândia-MG, 9(27):201-213. <http://www.caminhosdegeografia.ig.ufu.br/viewissue.php?id=55>
- + Cowie, R.H. & Thiengo, S.C. 2003. The apple snails of the Americas (Mollusca: Gastropoda: Ampullariidae: *Asolene*, *Felipponea*, *Marisa*, *Pomacea*, *Pomella*): a nomenclatural and type catalog. *Malacologia*, 45(1): 41-100.
- + Darwich, S.M. et al. 1989. Predação e foresia (occasional?) entre imaturos de Simuliidae (Díptera: Culicomorpha) e *Asolene (Pomella) megastoma* (Sowerby, 1825) (Mollusca: Gastropoda: Ampullariidae). *Memórias do Instituto Oswaldo Cruz*, Rio de Janeiro, 84(Supl. 4): 145-148.
- + Espindola, K.S. et al. 1990. Preliminary survey of the planorbic fauna in Santa Catarina Island, Santa Catarina, Brasil. *Memórias do Instituto Oswaldo Cruz*, Rio de Janeiro, 85(3): 375.
- + Espindola, K.S. et al. 1992. Natural and experimental infection of planorbids from the Island of Santa Catarina (Brazil). *Revista do Instituto de Medicina Tropical*, São Paulo, 34(4): 289-294.
- + Fernandez, M.A. et al. 2003. Distribution of the introduced freshwater snail *Melanoides tuberculatus* (Gastropoda: Thiariidae) in Brazil. *The Nautilus*, Sanibel Isl., Flida. - USA, 117(3): 78-82.
- + Lacerda, L.E.M. & Santos, S.B. 2010. *Burnupia ingae* (Mollusca, Gastropoda, Ancyliidae): ampliação da área de distribuição geográfica no Brasil. Belém, PA: XXVIII Congresso Brasileiro de Zoologia, Área Mollusca: 1418.
- + Lanzer, R.M. 1991. Duas novas espécies de Ancyliidae (Gastropoda: Basommatophora) para o sul do Brasil. *Revista Brasileira de Biologia*, São Carlos - SP, 51: 703-719.
- + Mansur, M.C.D. et al. 2004. Uma Retrospectiva e Mapeamento da Invasão de Espécies de *Corbicula* (Mollusca, Bivalvia, Veneroidea, Corbiculidae) Oriundas do Sudeste Asiático, na América do Sul, p. 39-58. In: Silva, J.S.V. da & Souza, R.C.C.L. de (Orgs.). Água de Lastro e Bioinvasão. Rio de Janeiro, RJ: Interciência, 224 p.
- + Paraense, W.L. 1975. Estado atual da sistemática dos Planorbídeos brasileiros. *Arquivos do Museu Nacional*, Rio de Janeiro, 55: 105-128.
- + Paraense, W.L. 1982. *Lymnaea rupestris* sp. n. from Southern Brazil (Pulmonata: Lymnaeidae). *Memórias do Instituto Oswaldo Cruz*, Rio de Janeiro, 77(4): 437-443.
- + Pereira, P.A.C. 1993. Sobre o encontro de formas albinas em uma população de *Chilina* Gray, 1828 (Mollusca: Gastropoda: Chiliniidae), no Canhão do Malacara, Praia Grande, Santa Catarina. Rio de Janeiro, RJ: Resumos XIII Encontro Brasileiro de Malacologia: 81.
- + Prando, H.F. & Bachia, R.E. 1995. Ocorrência e controle de moluscos gastrópodes em arroz irrigado no sistema pré-germinado, em Santa Catarina. Porto Alegre, RS: Anais Reunião da Cultura do Arroz Irrigado: 229-231.
- + Quadros, R.M. et al. 2007. A ecologia da malacofauna dulcícola do alagado do Salto do rio Caveiras na serra catarinense, Brasil. Rio de Janeiro, RJ: Resumos XX Encontro Brasileiro de Malacologia: 304.
- + Santos, S.B. dos. 2003. Estado atual do conhecimento dos ancilídeos na América do Sul (Mollusca: Gastropoda: Pulmonata: Basommatophora). *Revista de Biologia Tropical*, San José de Costa Rica, 51(Suppl. 3): 191-224.
- + Schlemper Júnior, B.R. et al. 1996. Distribuição geográfica de planorbídeos em Santa Catarina, Brasil. *Revista da Sociedade Brasileira de Medicina Tropical*, Uberaba - MG, 29(5): 411-418.
- + Silva, M.C.P. & Veitenheimer-Mendes, I.L. 2004. Redescricao de "*Potamolithus catharinae*" com base em topótipos (Gastropoda, Hydrobiidae), rio Hercílio, Santa Catarina, Brasil. *Iheringia*, Série Zoologia, Porto Alegre, 94: 83-88.
- + Simone, L.R.L. de. 1994. Anatomical characters and systematics of *Anodontites trapessialis* (Lamarck, 1819) from South America (Mollusca, Bivalvia, Unionoidea, Muteloidea). *Studies on Neotropical Fauna and Environment*, 29(3):169-185.
- + Sociedade Sul-Brasileira De Arroz Irrigado. 2005. Moluscos gastrópodes em arroz irrigado, no sistema prégerminado, p. 92-93. In: Arroz irrigado: recomendações técnicas da pesquisa para o Sul do Brasil. Santa Maria, RS: IV Congresso Brasileiro de Arroz Irrigado & XXVI Reunião da Cultura do Arroz Irrigado, 159p. <http://www.sosbai.com.br/docs/recomendacoes2005.pdf>
- + Teive, L.F. 2010. Influência do uso do solo sobre a comunidade de macroinvertebrados aquáticos em córregos da bacia hidrográfica da Lagoa do Peri, Florianópolis, SC. Santa Catarina's Federal University - UFSC, Florianópolis, Graduated Dissertation Thesis in Biological Sciences, 31 p \*
- \* Just in the pág. 31 (8. Anexo 1), she indicates the occurrence of the next limnic gastropods in headboards of rivers that disembugue in the Peri Pond basin (Agudo 2007): Planorbidae, Ancyliidae and Hydrobiidae/ Littoridininae ...
- + Teles, H.M.S. 1996. Distribuição de *Biomphalaria straminea* ao Sul da região Neotropical, Brasil. *Revista de Saúde Pública*, São Paulo, 30(4): 341-349.
- + Teles, H.M.S. et al. 1991. Distribuição de *Biomphalaria* (Gastropoda, Planorbidae) nos Estados do Rio Grande do Sul e Santa Catarina, Brasil. *Revista de Saúde Pública*, São Paulo, 25 (5): 350-352.
- + Thiengo, S.C. et al. 2007. Dispersão do molusco introduzido *Melanoides tuberculatus* (Müller, 1774) (Gastropoda, Thiariidae) no Brasil, p. 101-106. In: Santos, S.B. et al (Orgs.). Tópicos em Malacologia - Ecos do XVIII Encontro Brasileiro de Malacologia. Rio de Janeiro, RJ: SBMa, XIV + 365 p.

#### IV. CONTINENTAL TERRESTRIAL FORMS

- + Abbott, R.T. Compendium of Landshells. Melbourne, Flida. - USA: American Malacologists, 1989, 240 p.
- + Agudo, I. 2007. Moluscos na condição de pragas no Brasil. São Paulo, SP: Conquiliologistas do Brasil - CdB. <http://www.conchasbrasil.org.br/materias/pragas/visaogeral/default.asp>
- + Agudo-Padrón, A.I. 2008. Ocorrência confirmada da semi-lesma exótica européia *Milax valentianus* Férussac, 1821 na região Sul do Brasil. *Informativo SBMa*, Rio de Janeiro, 39(166): 3.
- + Agudo-Padrón, A.I. 2009. First confirmed record of

- amphibian slugs *Omalonyx* (Gastropoda: Pulmonata: Succineidae) for Santa Catarina's Island, Southern Brazil. *FMCS Newsletter Ellipsaria*, 11(1):18-19.
- + Agudo-Padrón, A.I. & Lenhard, P. 2009. Confirmação de ocorrência da semi-lesma exótica europeia *Milax valentianus* (Pulmonata: Stylommatophora: Milacidae) na região Sul do Brasil. Rio de Janeiro, RJ: Resumos XXI Encontro Brasileiro de Malacologia: 262.
- + Almeida, M.N. 2003. O gastrópode *Bradybaena similaris* (Pulmonata, Xanthonychidae) como modelo experimental para estudos em laboratório I: Introdução e aspectos gerais. *Informativo SBMa*, Rio de Janeiro, 34(143): 9-11.
- + Arruda, J.O., & Thomé, J.W. 2008. Revalidation of *Omalonyx convexus* (Heynemann, 1868) and emendation of the type locality of *Omalonyx unguis* (Orbigny, 1837) (Mollusca: Gastropoda: Pulmonata: Succineidae). *Arch. Molluskenkunde*, 137(2):159-166.
- + Arruda, J.O. et al. 2009. Novos registros de *Omalonyx matheroni* (Potiez & Michaud, 1835) (Mollusca: Gastropoda: Succineidae) para os Estados de São Paulo e Paraná, Brasil. *Biotemas*, Florianópolis, 22(2): 187-190.
- + Breure, A.S.H. 1975. Notes on Bulimulidae (Gastropoda, Euthyneura), 2. On a small collection of *Simpulopsis* Beck, 1837, from southern Brazil, with description of three new species. *Basteria*, 39: 97-113.
- + Chiaradia, L.A. et al. 2004. Lesmas: pragas da agricultura e ameaça à saúde humana. *Agropecuária Catarinense*, Florianópolis, 17(2): 70-74.
- + Graeff-Teixeira, C. 2005. Importância epidemiológica de *Achatina fulica* como transmissor de angiostrongilíases. Rio de Janeiro, RJ: Resumos XIX Encontro Brasileiro de Malacologia: 83-84.
- + Graeff-Teixeira, C. et al. 2004. Baixa prevalência de Angiostrongilíase em caracóis do gênero *Achatina* de Florianópolis, Santa Catarina. *Revista da Sociedade Brasileira de Medicina Tropical*, Uberaba, 37(Suppl. 1 – Resumos XL Congresso Brasileiro de Medicina Tropical, Aracaju-SE):710.
- + Magalhães, A.R.M. et al. 2001. Ocorrência do molusco *Achatina fulica* em Santa Catarina. Recife, PE: Resumos XVII Encontro Brasileiro de Malacologia: 67-68.
- + Maurer, R.L. et al. 2002. Natural infestation of *Deroceras laeve* (Mollusca: Gastropoda) with metastrongylid larvae in a transmission focus of abdominal angiostrongyliasis. *Revista do Instituto de Medicina Tropical*, São Paulo, 44(1): 53-54.
- + Milanez, J.M. & Chiaradia, L.A. 1999. Lesma: praga emergente no Oeste Catarinense. *Agropecuária Catarinense*, Florianópolis, 12(1): 15-16.
- + Moro, L. & Hemp, S. 1995. Ocorrência de lesmas na região oeste catarinense. Porto Alegre, RS: Resumos XIV Encontro Brasileiro de Malacologia: 106.
- + Neuhauss, E. et al. 2007. Low susceptibility of *Achatina fulica* from Brazil to infection with *Angiostrongylus costaricensis* and *A. cantonensis*. *Memórias do Instituto Oswaldo Cruz*, Rio de Janeiro, 102(1): 49-52. <http://www.scielo.br/pdf/mioc/v102n1/5644.pdf>
- + Odhner, N.H. 1937. *Acorbis petricola* n. gen. n. sp., eine merkliche Süßwasserschnecke aus Brasilien. *Arkiv Zool.*, Stockholm, 29B(14): 1-8.
- + Ohlweiler, F.P. et al. 2008. *Belocaulus* sp. (Gastropoda, Veronicellidae) from Southern and Southeastern Brazil. Valdivia, Chile: Resúmenes VII Congreso Latinoamericano de Malacologia, (323): 234.
- + Ohlweiler, F.P.; Mota, D.J.G. & Gomes, S.R. 2009. A new species of the genus *Belocaulus* (Gastropoda, Veronicellidae) from southern and southeastern Brazil. *The Nautilus*, Sanibel Isl., Fl. - USA, 123(2): 34-42.
- + Oliveira, M.P. de et al. 1971. Comunicações malacológicas no. 5: *Cyclodontina (Bahiensis) janeirensis miliota* (Orbigny, 1835). *Boletim do Instituto de Ciências Biológicas e Geociências*, Juiz de Fora, (1): 1-10.
- + Parkinson, B.; Hemmen, J. & Groh, K. 1987. Tropical landshells of the world. Wiesbaden, W. Germany: Verlag Christa Hemmen, 279 p.
- + Pena, M.S. et al. 2008. *Thaumastus* Martens in Albers, 1860: conhecimento atual de sua diversidade no Brasil. Curitiba, PR: Resumos XXVII Congresso Brasileiro de Zoologia: O-2137.
- + Salgado, N.C. & Coelho, A.C. dos S. 2003. Moluscos terrestres do Brasil (Gastrópodes operculados ou não, exclusive Veronicellidae, Milacidae e Limacidae). *Revista de Biologia Tropical*, San José de Costa Rica, 51 (Suppl. 3):149-189.
- + Thomé, J.W. 1972. Uma nova espécie de *Phyllocaulis* do Brasil (Veronicellidae, Gastropoda). *Iheringia*, Série Zoologia, Porto Alegre, 41: 59-68.
- + Thomé, J.W. 1993. Estado atual da sistemática dos Veronicellidae (Mollusca; Gastropoda) americanos, com comentários sobre sua importância econômica, ambiental e na saúde. *Biociências*, Porto Alegre, 1(1): 61-75.
- + Thomé, J.W. et al. 2006. Os caracóis e as lesmas dos nossos bosques e jardins. Pelotas, RS: USEB, 123 p.
- + Thomé, J.W. et al. 2007. Moluscos terrestres no Cone Meridional da América do Sul, diversidade e distribuição: 9-28. *Ciência & Ambiente*, Santa Maria - RS, (35): 9-28.\*
- \* Particularly, this last contribution relates a total of 63 species and subspecieses of terrestrial gastropods for the State ...

#### References

- Agudo, A.I. 2002. Preliminary report about the freshwater mussels/clams (Bivalvia: Unionoidea & Veneroidea) of Santa Catarina State, Southern Brazil.. *FMCS Newsletter Ellipsaria*, 4(2):10-11.
- Agudo, A.I. 2004. Os moluscos continentais do Estado de Santa Catarina SC: uma síntese do seu atual conhecimento. *Informativo SBMa*, Rio de Janeiro, 35(147): 3-4.
- Agudo, A.I. 2007. Exotic isolated occurrence of the mussel naiad *Leila blainvilleana* (Lea, 1834) in a freshwater coastal Lagoon of the Santa Catarina Island, Southern Brazil. *FMCS Newsletter Ellipsaria*, 9(3):10-12.
- Agudo-Padrón, A.I. 2008. Listagem sistemática dos moluscos continentais ocorrentes no Estado de Santa Catarina, Brasil (Systematic list of freshwater and land molluscs of Santa Catarina State, Brazil). *Comunicaciones de la Sociedad Malacológica del Uruguay*, Montevideo, 9(91): 147-179. <http://redalyc.uaemex.mx/redalyc/pdf/524/52412049003.pdf>
- Agudo-Padrón, A.I. 2009a. New malacological records from Paraná State, Southern Brazil region, with a general synthesis of current knowledge. *FMCS Newsletter Ellipsaria*, 11(1):11-13.
- Agudo-Padrón, A.I. 2009b. General mollusk fauna of Rio Grande do Sul State, Southernmost Brazil region: a preliminary revision rehearsal. *FMCS Newsletter Ellipsaria*, 11(1):13-18.
- Agudo-Padrón, A.I. 2009c. New malacological records from Paraná State, PR, Southern Brazil region. II. Supplementary Annex. *FMCS Newsletter Ellipsaria*, 11(2):6-7.
- Agudo-Padrón, A.I. 2009d. General mollusk fauna of Rio Grande

do Sul State, RS, Southernmost Brazil region: a preliminary revision rehearsal. II. New bibliographical records. *FMCS Newsletter Ellipsaria*, 11(2):9-10.

Agudo-Padrón, A.I. 2010a. The mollusc fauna of Santa Catarina State, Southern Brasil: knowledge gained from 13 years of research. *IUCN/SSC Internet Newsletter Tentacle*, (18):32-37.

[http://www.hawaii.edu/Cowielab/tentacle/Tentacle\\_18.pdf](http://www.hawaii.edu/Cowielab/tentacle/Tentacle_18.pdf)  
 Agudo-Padrón, A.I. 2010b. Mollusk fauna of Santa Catarina's State, SC, Southern Brazil region: 14 years synthesis of knowledge and research. *FMCS Ellipsaria*, 12(1):10-15.

## Suitable host fishes for the wartyback mussel, *Quadrula nodulata*

Bernard Sietman<sup>1</sup>, Mark Hove<sup>2,3</sup>, Karen Baumann<sup>1</sup>, Andrew Edgcumbe<sup>1</sup>, John Jaka<sup>1</sup>, Kaitlin Linde<sup>1</sup>, John Pfeiffer<sup>1</sup>, Kim Phillips<sup>1</sup>, Kurtis Weber<sup>1</sup>, Cara Weggler<sup>1</sup>, Sarah Boyer<sup>3</sup>, Jordan Eckstein<sup>3</sup>, Nate Juergen<sup>3</sup>, and Jessica Ramirez<sup>3</sup>

<sup>1</sup>Minnesota Department of Natural Resources, 500 Lafayette Road, St. Paul, MN 55155

<sup>2</sup>University of Minnesota, 1980 Folwell Avenue, St. Paul, MN 55108

<sup>3</sup>Macalester College, 1600 Grand Avenue, St. Paul, MN 55105

The wartyback mussel (*Quadrula nodulata*) is an endangered species in Minnesota, occurring primarily in the Mississippi River from Minneapolis-St. Paul to Hastings, Minnesota, and sporadically in the Minnesota River. Channel catfish, flathead catfish, and white crappie have been reported to be naturally infested with wartyback glochidia (Surber 1913, Wilson 1916, Coker *et al.* 1921), but transformation to the juvenile stage was not confirmed.

To determine what fish species are potential hosts for wartyback, we ran laboratory trials on 63 fish species in 12 families using standard procedures (Neves *et al.* 1985). Gravid mussels with mature glochidia were collected from the Mississippi River (RM 819) on 11 and 22 June and 13 July, 2010. Fishes were collected from various rivers and streams in central and southern Minnesota and southeastern Missouri. We placed fish and glochidia in an aerated bath, and glochidia attachment to gills was confirmed for at least one individual of each fish species tested. Three and six days after inoculation, we re-examined fish for encapsulated glochidia. If gills were free of glochidia, the trial for that species ended. If glochidia remained on gills after day 6, all individuals of that fish species were placed together in a separate aquarium for monitoring. Aquarium floor water was siphoned every 3 to 4 days through a 125µ mesh sieve. Siphonate was examined for juveniles with a dissecting microscope.

Six catfish species (Ictaluridae) facilitated metamorphosis of wartyback glochidia, with channel and blue catfish producing relatively more juveniles per fish (Table 1). These results corroborate previous studies that have found catfish are suitable hosts for members of the *pustulosa* species group of quadruline unionids (Howard 1914, Coker *et al.* 1921, Haag and Warren 2003).

Table 1. Fish species that facilitated metamorphosis of *Quadrula nodulata* glochidia.

| Fish Species*              | Trial | No. Fish | No. Juveniles Recovered | Juvenile recovery period (d) |
|----------------------------|-------|----------|-------------------------|------------------------------|
| <i>Ictalurus punctatus</i> | 1     | 5        | 2,485                   | 10-34                        |
| <i>Ictalurus punctatus</i> | 2     | 3        | 29                      | 17-22                        |
| <i>Ictalurus furcatus</i>  | 1     | 7        | 2,239                   | 7-27                         |
| <i>Ameiurus melas</i>      | 1     | 19       | 1,034                   | 10-28                        |
| <i>Ameiurus melas</i>      | 2     | 1        | 3                       | 16-21                        |
| <i>Ameiurus melas</i>      | 3     | 3        | 0                       | n/a                          |
| <i>Ameiurus nebulosus</i>  | 1     | 1        | 34                      | 17-26                        |
| <i>Noturus exilis</i>      | 1     | 4        | 23                      | 10-25                        |
| <i>Pylodictis olivaris</i> | 1     | 1        | 10                      | 15-22                        |

\*Fishes that did not facilitate metamorphosis (n) - *Ambloplites rupestris* (13), *Acipenser fulvescens* (3), *Aplodinotus grunniens* (1), *Campostoma anomalum* (1), *Carassius auratus* (1), *Carpiodes cyprinus* (3), *Catostomus commersoni* (7), *Cyprinella galactura* (1), *Cyprinella spiloptera* (6), *Cyprinella venusta* (6), *Cyprinus carpio* (7), *Etheostoma exile* (7), *Fundulus olivaceus* (2), *Hypentelium nigricans* (7), *Ictiobus bubalus* (1), *Lepisosteus osseus* (2), *Lepisosteus platostomus* (2), *Lepomis cyanellus* (4), *Lepomis gibbosus* (2), *Lepomis humilis* (8), *Lepomis macrochirus* (15), *Lepomis megalotis* (3), *Lepomis microlophus* (4), *Lota lota* (1), *Luxilus chrysocephalus* (2), *Luxilus cornutus* (3), *Macrhybopsis storeriana* (1), *Micropterus dolomieu* (6), *Micropterus salmoides* (11), *Moxostoma anisurum* (1), *Moxostoma macrolepidotum* (8), *Nocomis biguttatus* (1), *Notemigonis crysoleucas* (10), *Notropis blennius* (1), *Notropis dorsalis* (2), *Notropis nubilus* (7), *Notropis topeka* (5), *Notropis volucellus* (1), *Notropis zonatus* (4), *Noturus flavus* (7), *Noturus gyrinus* (1), *Oncorhynchus mykiss* (3), *Perca flavescens* (8), *Percina caprodes* (13), *Percina phoxocephala* (1), *Phoxinus eos* (1), *Pimephales notatus* (9), *Pimephales promelas* (5), *Pomoxis annularis* (1), *Pomoxis nigromaculatus* (2), *Rhinichthys atratulus* (4), *Rhinichthys cataractae* (3), *Salvelinus fontinalis* (3), *Semotilus atromaculatus* (2), *Sander canadensis* (3), *Sander vitreus* (1), *Umbra limi* (10)

*Acknowledgments.*—Funding was provided in part through Minnesota’s State Wildlife Grants Program. We thank the Minnesota Pollution Control Agency and staff, especially Joel Chirhart and Harold Wiegner, for providing laboratory space and support.

Literature Cited:

- Coker, R.E., A.F. Shira, H.W. Clark, and A.D. Howard. 1921. Natural history and propagation of fresh-water mussels. *Bull. Bur. Fish.*, 37: 75-181.
- Haag, W.R., and M.L. Warren. 2003. Host fishes and infection strategies of freshwater mussels in large Mobile Basin streams, USA. *J. N. Am. Benthol. Soc.*, 22:78-91.
- Howard, A.D. 1914. Experiments in propagation of fresh-water mussels of the *Quadrula* group. U. S. Bur. Fish. Doc. No. 801.
- Neves, R.J., L.R. Weaver, and A.V. Zale. 1985. An evaluation of host fish suitability for glochidia of *Villosa vanuxemi* and *V. nebulosa* (Pelecypoda: Unionidae). *Am. Midl. Nat.*, 113:13-19.
- Surber, T. 1913. Notes on the natural hosts of fresh-water mussels. *Bull. Bur. Fish.*, 32: 101-116.
- Wilson, C.B. 1916. Copepod parasites of fresh-water fishes and their economic relations to mussel glochidia. *Bull. Bur. Fish.*, 34: 331-374.
- 

## 2011 Membership Dues

Pay online! <http://www.molluskconservation.org>

## FMCS 2011 Symposium

<http://molluskconservation.org/Events.html>

-----

### FMCS Officer Nominations: President-Elect, Secretary, and Treasurer

Nominations due 12/31/2010 (see page 1)

### FMCS 2011 Professional Awards

Nominations due 12/31/2010 (see page 1)

### FMCS 2011 Symposium: Student Travel Awards

Applications due 1/30/2011 (see page 1)

This is the final hard copy issue of *Ellipsaria*. Beginning with the first issue of 2011, members will receive the newsletter as a PDF. Note that John Jenkinson will be taking over as the new editor – thanks John! Please see his note on page 4 of this issue. cam

---

# Freshwater Mollusk Conservation Society

## Standing Committees and Chairs

*If you are interested in joining a committee, please contact one of the appropriate chairs.*

---

### Awards

W. Gregory Cope – North Carolina State, Dept. Environ. & Molecular Toxicology, Box 7633, Raleigh, NC 27695-7633  
919-515-5296; greg\_cope@ncsu.edu

Teresa Newton – Upper Midwest Environmental Science Center, 2630 Fanta Reed Rd., LaCrosse, WI 54603  
608-781-6217; tnewton@usgs.gov

Emy Monroe – University of South Dakota, 414 E Clark St., Vermillion SD 57069  
emy.monroe@usd.edu

### Environmental Quality and Affairs

Ryan Evans – Kentucky State Nature Preserves Commission, 801 Schenkel Lane, Frankfort, KY 40601  
502-573-2886 x102; fax: 2355; Ryan.Evans@ky.gov

Steve McMurray – Missouri Department of Conservation, 1110 S. College Ave., Columbia, MO 65201  
573-882-9909; stephen.mcmurray@mdc.mo.gov

### Gastropod Status and Distribution

Paul D. Johnson – Alabama Aquatic Biodiversity Center, Route 3, Box 86, Marion, AL 36756  
334-683-5000; paul.johnson@dnr.alabama.gov

Jeff Powell – USFWS, 1208 B Main St., Daphne, AL 36526  
251-441-5181; jeff\_powell@fws.gov

### Genetics

David J. Berg – Miami University, 546 Mosler, Oxford, OH 45069  
513-785-3246; bergdj@MUOhio.edu

### Guidelines and Techniques

Chuck Howard – TVA, Natural Heritage Program, 400 W Summit Hill Dr., WT 11C-K, Knoxville, TN 37902  
865-632-2092; cshowar1@tva.gov

Janet Clayton – West Virginia Division of Natural Resources, PO Box 67, Ward Road, Elkins, WV 26241  
304-637-0245; janetclayton@wvdnr.gov

### Information Exchange

Al Buchanan – 1001 S. Johnmeyer Lane, Columbia, MO 65203  
573-445-1521; gandalfpoint@yahoo.com

G. Thomas Watters – Museum of Biological Diversity, The Ohio State University, 1315 Kinnear Road, Columbus, OH 43212  
614-292-6170; Watters.1@osu.edu

John Jenkinson – 305 Revere Ave., Clinton, TN 37716  
865-457-0174; jjjenkinson@hotmail.com

### Mussel Status and Distribution

Arthur E. Bogan – North Carolina Museum of Natural Sciences, Research Lab., Mail Service Center 1626, Raleigh, NC 27699  
919-733-7450 x 753; arthur.bogan@ncmail.net

James D. Williams – 4820 NW 15<sup>th</sup> Place, Gainesville, FL 32605  
352-737-3743; fishwilliams@gmail.com

### Outreach

Andy Roberts – USFWS, 101 Park DeVillie Drive, Suite A, Columbia, MO 65203  
573-234-2132 x 110, andy\_roberts@fws.gov

Tom Jones – Marshall University, 110 Heather Court, Scott Depot, WV 25560  
304-389-5832; jonest@marshall.edu


### Propagation, Restoration, and Introduction

Tony Brady – Natchitoches National Fish Hatchery, 615 South Drive, Natchitoches, LA 71457  
318-352-5324; tony\_brady@fws.gov

Rachel Mair – White Sulphur Springs National Fish Hatchery, 400 East Main Street, White Sulphur Springs, WV 24986  
304-536-136; Rachel\_Mair@fws.gov

---

# Freshwater Mollusk Conservation Society



*...dedicated to the advocacy and conservation science of freshwater molluscan resources*